

Abstract Plus™ Training Manual for Abstractors

Version 2.0

(Based on Abstract Plus Version 3.1)

**Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion
Division of Cancer Prevention and Control
National Program of Cancer Registries
Registry Plus™ Software for Cancer Registries**



Contents

Chapter 1: Introduction	1
Overall Learning Objectives	1
Overview of the Abstract Plus Abstractor Training Manual	1
Abstract Plus Features.....	1
Abstract Plus User Roles	2
System Requirements.....	3
Downloading and Installing Abstract Plus	4
Launching Abstract Plus	4
User Support	5
Chapter 2: Abstract Plus General User Basics	6
Learning Objectives	6
Overview	6
Logging In.....	6
Creating a User Account upon Initial Access and First-Time Log In	7
Routine Log In	14
Activity 1 – Logging in to Abstract Plus	16
The Abstract Plus Main Window.....	16
The File Menu	17
The Administration Menu.....	18
The Auditor Menu.....	19
The Utilities Menu	21
The Reports Menu.....	21
The Options Menu	23
The Help Menu	23
New Abstract Plus Abstracting and Editing Features	24
The Abstract Plus Abstracting Process	24
The Abstract Plus Abstracting Window	24
New Data Quality Edits and Error Resolution Features	26
Changing Your General User Password	26
Possible Errors when Changing Your Password	28
Resetting a Forgotten Password.....	29
Updating Personal Security Questions.....	32
Exiting Abstract Plus and Using the Backup Option.....	34
Using the Restore Option.....	37
Questions.....	40
Chapter 3: Working with Abstracts.....	41
Learning Objectives	41
Overview	41
Importing Abstracts	41
Activity 2 – Importing Abstracts	46
Creating a New Abstract.....	46
The Abstract Plus Abstracting Window	47
Entering Dates in Abstract Plus 3.1	51
Activity 3 – Creating a New Abstract and Abstracting Patient Information	52
Questions—Creating Abstracts.....	54

Entering Information into Text Fields	54
Activity 4 – Entering Text Fields.....	55
Activity 5 – Abstracting Cancer Information	55
Abstracting Histologic Type	55
Activity 6 – Abstracting Histologic Type.....	57
Saving Abstracts	59
Correcting Edit Errors.....	61
Activity 7 – Correcting Edit Errors.....	64
Abstracting and Deriving Collaborative Staging Fields	65
Abstracting CS Input Fields.....	65
Abstracting CS SSFs.....	66
Calculating Derived CS Fields.....	67
CS Fields and Tumors Diagnosed 2003 and Earlier	67
Activity 8 – Abstracting and Deriving Collaborative Staging Fields	68
Questions---Abstracting and Saving Information	71
Completing Abstracts.....	71
Closing Abstracts	72
Activity 9 – Completing and Closing an Abstract	73
Searching for and Opening an Existing Abstract.....	76
Copying an Abstract	80
Activity 10 – Finding, Opening, and Copying an Abstract	82
An Aside on Abstract Plus “Projects”	83
Questions---Completing, Finding, and Copying Abstracts:	83
Exporting Abstracts	83
Printing Abstracts.....	89
Printing an Open Abstract.....	89
Printing a Range of Abstracts	91
Questions---Exporting and Printing Abstracts:.....	94
Chapter 4: Using Abstract Plus Utilities.....	95
The Doctor Query System	95
Managing Facility Codes	97
Managing Doctor Codes	99
Deleting Abstracts.....	102
Using the Notepad Function	105
Questions---Using Abstract Plus Utilities.....	107
Chapter 5: Running Reports.....	108
Learning Objectives	108
Overview	108
Available Reports.....	108
Opening Reports	108
Viewing Reports – The Report Viewer Window.....	109
The Main Toolbar	109
Page Navigation Controls	110
The Search Toolbar.....	111
Page View Controls	111
Saving Reports	112
Accession Register Report.....	113

Patient Index Report	115
Selected Cases Report.....	116
Status Report (Count of Cases) Summary	119
Completion Status of Abstracts by Month.....	121
Running Custom Reports	122
Questions.....	123
Appendix A: Answers to Chapter Questions.....	124
Appendix B: Standard Keyboard Shortcuts	127
Appendix C: Flowchart for Hematopoietics.....	128

Chapter 1: Introduction

Overall Learning Objectives

These are the overall learning objectives for this Abstract Plus training manual for Abstractors:

- Learn how to Log in into Abstract Plus
- Learn about the Abstract Plus menu items
- Become familiar with the basic steps for abstracting using Abstract Plus
- Learn how to begin abstracting by starting a new abstract, opening an existing abstract, or copying an existing abstract
- Become familiar with the abstracting features of Abstract Plus, including entering text fields, coding histologic type, and coding and deriving Collaborative Staging fields
- Learn about the Abstract Plus editing features and how to correct edit errors
- Learn how to print abstracts
- Learn how to export abstracts out of Abstract Plus
- Become familiar with Abstract Plus Utilities
- View, print, and save available abstract reports, and run custom reports

Overview of the Abstract Plus Abstractor Training Manual

The Abstract Plus Abstractor Training Manual provides you with the information to understand and use the abstracting features of Abstract Plus. This manual describes the functions available to the Abstractor. The major sections include logging in to Abstract Plus, abstracting information, editing abstracted information, completing abstracts, exporting abstracts, using utilities, and viewing abstract reports. Also, each chapter contains questions that test your knowledge of the Abstract Plus abstracting features and activities that allow you to practice your new skills on your own.

Abstract Plus Features

Abstract Plus version 3.1 is a free-of-charge, cancer data collection tool developed by the Centers for Disease Control and Prevention (CDC) that supports two main functions: abstracting and auditing. The application can be customized by central cancer registries to be used centrally, as well as for distribution to and use by hospitals and other reporting sources. Although the product is not designed to include all functionality needed in an American College of Surgeons (ACoS)-approved hospital cancer registry, it is suitable for reporting to central registries from non-registry hospitals, clinics, laboratories, and other sources for cancer incident reports. The program can also be used for special projects and start-up registries.

The abstracting capability of Abstract Plus is used to summarize medical records into an electronic report of cancer diagnosis and treatment by abstractors or anyone working with cancer data. Abstract Plus supports the abstraction of all data items in national standard data sets, including all text fields, as well as any state-specific data items. The output of Abstract

Plus is an electronic abstract in the format of the North American Association of Central Cancer Registries (NAACCR) data exchange layout.

Abstracts entered into Abstract Plus are validated by customizable edits, allowing for interactive error correction while abstracting. Abstract Plus includes Registry Plus Online Help, a collection of standard coding manuals that are cross-referenced, indexed, and context-linked to minimize the need for reference to printed manuals during abstracting.

The all-new auditing capability included in Abstract Plus version 3.1 allows central registries to use the program to perform case completeness and data quality audits of reporting facilities, as well as data quality audits of central registry abstractors. For assessing case completeness, casefinding audits are available, and for assessing data quality, both reabstraction and recoding audits are available. The application allows for either blinded or un-blinded reabstraction audits, and for recoding audits, un-blinded submitted text can be recoded for both reporting facilities as well as central registry abstractors.

Please note that due to development priorities, Abstract Plus version 3.1 is being released without the Auditor features; description of Auditor features provided in this manual is for informational purposes only. The Auditor features of Abstract Plus will be released in a future version of the program.

Abstract Plus version 3.1 has been entirely reprogrammed using .NET technology. The application has a new, more user-friendly abstracting interface. New direct grid entry of coded values allows for a more streamlined abstracting experience, as well as easier viewing of text fields, online help, and edit errors.

Abstract Plus version 3.1 also has enhanced security features. All records are saved in Microsoft Access or SQL server databases, and all tables are password protected and encrypted using Microsoft functions. All users must have a User ID and password to access the abstracting features of the application, and access to administrative and auditor functions requires the entry of special restricted passwords. A security challenge question feature is also included in case a user forgets his or her password, which enables the user to securely reset their password without administrator intervention.

Abstract Plus User Roles

Abstract Plus users consist of abstractors, central cancer registrars, and other individuals or groups who work with cancer data. Abstract Plus includes 3 types of users, or roles:

User	Description
Abstractor/ General User	<p>The Abstractor or general user manages data entry and has access to all of the abstracting features of the program.</p> <p>Abstractors can add new abstracts, edit existing abstracts, copy, print, and delete abstracts, and can import and export abstracts in NAACCR file format. Abstractors can also view available reports and update their password and personal security challenge questions.</p> <p>All Abstractors must have a user account, and log in to the application using a User ID and password.</p>

User	Description
Auditor	<p>The Auditor manages audit entry and reporting and has access to all of the abstracting features of the program described above for the general user; however, Auditors also have access to all of the auditing features of the program.</p> <p>Auditors can open and close audits, and perform casefinding, reabstraction, and recoding audits (including pre- and post-reconciliation tasks), and run available audit reports. Auditors can also export newly identified tumors in NAACCR file format from casefinding efforts, and can export completed reabstraction and recoding audits.</p> <p>All Auditors must have a general user account, and log in to the application using a User ID and password. Auditors access auditing functions using a special Auditor password.</p>
Administrator	<p>The Administrator manages the setup of the program and has access to all of the abstracting features of the program described above for the general user and all of the auditing features available to the Auditor; however Administrators have access to additional administrative features of the program. They can perform administrative functions such as managing the Administrator password, creating and modifying general user accounts, specifying application preferences, creating and managing abstracting display types, and creating and managing audit display types, discrepancy codes and databases.</p> <p>All Administrators must have a general user account, and log in to the application using a User ID and password. Administrators access administrative functions using a special Administrator password. Entry of the Administrator password also allows access to all auditing functions (i.e., entry of the Auditor password is not required for Administrators).</p>

System Requirements

Abstract Plus is programmed for the Microsoft Windows 32-bit environment installed on an Intel Pentium or Pentium-compatible computer. The minimum hardware requirements are the same as those of the Microsoft Windows operating system used. Additional system requirements include:

- Microsoft operating system from Windows 98 through Windows Vista
- 128 MB RAM (512 MB minimum recommended)
- Latest version of Microsoft Internet Explorer (recommended)
- The available hard-disk space requirement for Abstract Plus depends on the number of abstracts that will be created and maintained in the database. A minimum of 70 MB of free hard drive space is required.

Downloading and Installing Abstract Plus

A generic (non-customized) version of Abstract Plus is available from the CDC's Registry Plus Web site (<http://www.cdc.gov/cancer/npcr/>). This Web site provides a fully documented generic installation, downloadable fact sheets, and version enhancement information.

Please note, however, most users will require a customized version of the software set up to meet requirements and procedures of a specific locale, usually a state, or for a specific study.

Potential users of Abstract Plus should contact their state central cancer registry staff first to inquire about their customized version and for support. State registry contact information can be found at the National Program of Cancer Registries Web site:

<http://apps.nccd.cdc.gov/cancercontacts/npcr/contactlist.asp>.



Note

You must have administrative privileges to your computer in order to install Abstract Plus. Contact your system administrator to install the program if you do not have administrative privileges.

To download and install Abstract Plus, complete these steps:

1. Open your Internet browser and type in the following URL for the NPCR web site in the address field:

<http://www.cdc.gov/cancer/npcr/>

2. Press **Enter**.
3. In the **Featured Items** section, Under **Tools**, click the **Registry Plus** link.
4. In the **Registry Plus Components** section, click the **Abstract Plus** link.
5. Click the **Technical Information and Installation** link.
6. Read the information provided in the section **Installing and Upgrading Abstract Plus**.
7. Scroll down to the **Installation** section, and click the **Download Abstract Plus** link.
8. To download the latest version of Abstract Plus, click the link to the latest **.exe file**.
9. Click **Run** on the displayed page and follow all the prompts to download and install Abstract Plus.



Important

If you have a prior version of Abstract Plus installed on your computer, and would like to upgrade to Abstract Plus version 3.1, there is no automatic upgrade available. **Do not uninstall your current version**, as you will need to export all abstracts out of your current version of Abstract Plus and import them into your newly-installed Abstract Plus version 3.1.

Launching Abstract Plus

Once installed, you can launch Abstract Plus:

1. From the Start menu, select **All Programs, Registry Plus, Abstract Plus**, and then **Abstract Plus 3.1**.

User Support

For technical support via e-mail, contact cancerinfo@cdc.gov.

The CDC Registry Plus Development group is funded primarily to support NPCR-funded state central cancer registries. As a result, CDC helps state central cancer registries set up the software and perform basic customizations. CDC also provides periodic software updates and problem-solving to the extent of available resources. CDC does not provide on-site services, and does not support hospitals, clinics, laboratories, or other private users.

Abstract Plus is intended for redistribution to cancer reporters after customization by the central registry. The state central registry or other institution redistributing Registry Plus software should provide all support to end users.

State registry contact information can be found at the National Program of Cancer Registries Web site: <http://apps.nccd.cdc.gov/cancercontacts/npcr/contactlist.asp>.

Other users of Abstract Plus will need to independently understand and maintain the software application.

Chapter 2: Abstract Plus General User Basics

Learning Objectives

In this chapter, you will learn to:

- Create your own user account upon initial access to the program
- How to address first-time log in and routine log in to Abstract Plus as an Abstractor/general user
- Familiarize yourself with the Abstract Plus main window and identify Abstract Plus abstracting menu options
- Change your general user password
- Reset your password if forgotten, by answering your security challenge questions
- Update your security challenge questions and answers after initial set up
- Exit Abstract Plus and use the Backup option
- Use the Restore option to restore your abstracts database if corrupted

Overview

This chapter covers the basics of logging in to and out of Abstract Plus. It includes a description of the process by which a user account is generated, how to log into Abstract Plus for the first time and how to address the security challenge questions presented upon initial log in, how to log in to Abstract Plus routinely using a user ID and password, how to maintain your general user password, how to exit the application and use the Backup feature, and how to use the Restore feature to restore a corrupted abstracts database.

Logging In

After installing Abstract Plus version 3.1, upon initial launch of the program, you will be prompted to create a new user account. You will then need to log in using the new login information you entered along with an initial password of **Welcome1**, change your password, and then answer security or “challenge” questions. Your answers to these questions will be used to validate your identity if you forget your Abstract Plus password---if you forget your password, Abstract Plus will ask you for the answers you provided to these security questions and then allow you to reset your password if the questions are answered correctly.

The creation of a user account is enabled for the general user **only** upon initial launch of the program. If other users already exist in your Abstract Plus application (i.e. the program has already been launched and user account(s) created), you will need to contact your Administrator to create a user account for you.

When logged in with your own user ID and password, you are recorded as the abstractor when conducting either general abstracting or auditing tasks (unless your Administrator has modified this system option). This information can be used as selection criteria for reports and exports, and can also be used for general tracking purposes to associate abstractors with their specific abstracts, and auditors with the audits that they have conducted.

Creating a User Account upon Initial Access and First-Time Log In

After installing Abstract Plus version 3.1, if you are the first person to launch the program, you will be prompted to create a new user account. You will then be prompted to log in to Abstract Plus using your newly-created User ID and an initial password of **Welcome1**.




If other users already exist in your Abstract Plus application (i.e. the program has already been launched and user account(s) created), you will need to contact your Administrator to create a user account for you and obtain your User ID.

To create a new user account upon initial launch of the program, and log in to the application for the first time complete these steps:


1. To launch the program, from the Start menu, select **All Programs, Registry Plus, Abstract Plus**, and then **Abstract Plus 3.1**.

Result: The **Create Users** window opens.



If your Administrator has already provided you with a User ID, go directly to [step 7](#).

2. Enter your full name in the **User Name** field. The format for name entry is last name, and then first name and middle initial, e.g., Smith, John A. In the example shown, the user name being entered has the last name USER, first name NEW, and middle initial A.



Selected User

User Name
USER, NEW, A
(5 - 35 characters) e.g. Smith, John A

User ID
(5 - 10 Characters) e.g. JSmith


Initials
(3 Characters) e.g. JAS

Add

Close

Note: First time users must enter a User Name, User ID, and Initials. Click Add, then click Close. Initial password will be 'Welcome1' (case sensitive).

3. Enter a **User ID** in the **User ID** field. User IDs can only be characters, and are 5-10 characters in length. In the future, you will enter your User ID when logging in to Abstract Plus. In the example shown, the User ID being entered is NUSER.



Selected User

User Name
USER, NEW, A
(5 - 35 characters) e.g. Smith, John A

User ID
NUSER
(5 - 10 Characters) e.g. JSmith


Initials
(3 Characters) e.g. JAS

Add

Close

Note: First time users must enter a User Name, User ID, and Initials. Click Add, then click Close. Initial password will be 'Welcome1' (case sensitive).

4. Enter your initials in the **Initials** field. Your initials will be displayed on the main Abstract Plus window to indicate when you are logged in to the application, and may be automatically recorded in the Abstracted By field when abstracting abstracts or conducting audits if this application preference is enabled by your Abstract Plus Administrator. This information is recorded in order to associate abstractors with the abstracts they have generated, and auditors with the audits that they have conducted. In the example shown, the initials entered are NAU.



Create Users

Selected User

User Name
USER, NEW, A
(5 - 35 characters) e.g. Smith, John A

User ID
NUSER
(5 - 10 Characters) e.g. JSmith

Initials
NAU
(3 Characters) e.g. JAS


Add

Close

Note: First time users must enter a User Name, User ID, and Initials. Click Add, then click Close. Initial password will be 'Welcome1' (case sensitive).

5. Click **Add**.

Result: The system adds the new user account to the users list.



Create Users

Selected User

User Name
(5 - 35 characters) e.g. Smith, John A

User ID
(5 - 10 Characters) e.g. JSmith

Initials
(3 Characters) e.g. JAS

USER, NEW, A - NUSER (NAU)

Add

Reset Password

Delete


Close

Current User ID:


Change Current User

6. Click **Close**.


Result: The **Login** window opens.



7. Enter your **User ID** in the **User ID** field. In the example shown, the User ID of NUSER is being entered.



8. Enter the default initial password of **Welcome1** in the **Password** field.




Note

When entering your password, asterisks will be displayed rather than your password for added security. Note that passwords are case sensitive.


9. Click **OK**.

Result: A **Password Update** message is issued that lets you know you need to change your password. This occurs upon initial log in only. When changing your password, you must change it to a password that meets the password requirements set by your Abstract Plus Administrator.



10. Click **OK**.

Result: The Change User's Password window opens, displaying your User ID and Old Password (which is **Welcome1** at this point).



11. Enter a new password in both the **New Password** and **Confirm Password** boxes, and click **OK**. You must type the same new password in both boxes.



Note

If your Administrator has made no changes, by default, your new password must be between 8 and 20 characters, contain at least one digit and one alphabetical character, and must not contain any special characters.

Result: The **Define User's Security Questions** window opens, with your User ID displayed.

Define User's Security Questions

Please answer any 3 questions from the below lists to help Abstract Plus to verify your identity. Should you forget your password, you will be asked to answer at random any 1 of the questions you answer here in order to reset your password.

Warning: Challenge questions must be setup to enter Abstract Plus.

UserID:

--- Select One ---

--- Select One ---

--- Select One ---

To complete your initial log in to Abstract Plus, you are required to select the specified number of security questions and answer them. The number of questions you will need to select and answer will depend on the number of security questions specified by your Abstract Plus Administrator when setting up Abstract Plus. Your answers to these questions will be used to validate your identity if you forget your general user Abstract Plus password. If you forget your password, Abstract Plus will ask you for the answers you provided to your chosen security questions, and then allow you to reset your password if the questions are answered correctly. If you forget both your password and your answers to your selected security questions, you will need to have your Abstract Plus Administrator reset your password.

12. Select a **question** from the first drop-down list and enter your **answer** in the box below the question.

Define User's Security Questions

Please answer any 3 questions from the below lists to help Abstract Plus to verify your identity. Should you forget your password, you will be asked to answer at random any 1 of the questions you answer here in order to reset your password.

Warning: Challenge questions must be setup to enter Abstract Plus.

UserID: NUSER

--- Select One ---

--- Select One ---

How many children do you have?

How many siblings do you have?

How old were you at your wedding? (Enter age as digits.)

In what city did you honeymoon? (Enter full name of city only)

In what city is your vacation home?

In what city was your father born in? (Enter full name of city only)

In what city was your high school?

Submit Questions

13. Continue selecting questions and answering them until each question is answered.

Define User's Security Questions

Please answer any 3 questions from the below lists to help Abstract Plus to verify your identity. Should you forget your password, you will be asked to answer at random any 1 of the questions you answer here in order to reset your password.

Warning: Challenge questions must be setup to enter Abstract Plus.

UserID: NUSER

How many children do you have?

1

How many siblings do you have?

2


How old were you at your wedding? (Enter age as digits.)

23

Submit Questions

14. Once all questions are selected and answers entered, click **Submit Questions**.

Result: The Abstract Plus **main window** opens, with you logged in as a general user. Note that your User ID is displayed at the bottom of the window.




Routine Log In

After installation and initial log in to Abstract Plus, you will have a User ID and password for routine log in to your Abstract Plus general user account.


For routine log in to Abstract Plus, complete these steps:

1. To launch the program, from the Start menu, select **All Programs, Registry Plus, Abstract Plus**, and then **Abstract Plus 3.1**.

Result: The **Login** window opens.



2. Enter your **User ID** in the **User ID** box. In the example shown, the User ID being entered is NUSER.




3. Enter your **password** in the **Password** box, and Click **OK**.




Note

When entering your password, asterisks will be displayed rather than your password for added security. Note that passwords are case sensitive.



Result: The Abstract Plus **main window** opens, with you logged in as a general user. Note that your User ID is displayed at the bottom of the window.



Activity 1 - Logging in to Abstract Plus

Using what you have just learned, launch Abstract Plus and log in to the application.

If you have not yet accessed the program, see page 7 of this manual or click [here](#) for instructions for initial login to the program.

If your Administrator has already set up a user account for you and provided you with a User ID, see page 14 of this manual or click [here](#) for instructions regarding routine login.

The Abstract Plus Main Window


The Abstract Plus main window provides access to all of the application's features. Your User ID is displayed at the bottom of the window, and important system messages are displayed in the lower left-hand corner of the window. The default edit set is displayed in the upper right-hand corner of the window. When logged in as an Abstractor, you will automatically have access to all of the application's abstracting features via the main menu items. Some menu options are also available as buttons in the toolbar as shown below. Access to Administrator and Auditor functions require entry of special passwords.



Tip


By default, Microsoft comes with sound effect features. One of those features is a “beep” feedback sound in response to pressing the tab or enter, etc. keys. If you do not like these sounds being issued as you use

Abstract Plus, you can turn them off by going to Start→Control Panel→Sound→Sounds Tab→select Default Beep→select None from the Sounds pull-down menu→Click OK.











The File Menu

The File menu is used to access the majority of features that are used to work with abstracts. To access the File menu items, click on the **File** menu item, and select the desired sub-option, or use the appropriate keystroke combination for the desired sub-option.




The following table describes the Abstract Plus File menu sub-options:

Sub-option (Keystroke)	Toolbar	Function
------------------------	---------	----------

	Icon	
New Abstract (Ctrl+N)		Create a new abstract
Open/Find Abstract... (Ctrl+O)		Search for and open an existing abstract
Copy Abstract... (Ctrl+I)		Copy an open abstract
Close Abstract (Alt+C)		Close an open abstract
Save Abstract... (Ctrl+S)		Save entered information
Export Abstracts... (Ctrl+M)		Export abstracts out of the Abstract Plus database into a NAACCR-formatted file
Import Abstracts in NAACCR Format... (Ctrl+L)		Import abstracts in a NAACCR-formatted file into the Abstract Plus database
Print Current Abstract (Ctrl+P)		Preview the displayed abstract and/or print it
Print Range of Abstracts... (Ctrl+R)		Select and print a range of abstracts or save in a file
Backup Abstract Database (Ctrl+B)		Create backup database to be used by Restore feature if database becomes corrupted
Restore... (Ctrl+Y)		Restore/replace corrupted database with a previously saved backup database
Exit (Alt+F4)		Log off Abstract Plus with an option to back up the database with your work

The Administration Menu

The Administration menu is used to access the administrative features of the program, such as managing user accounts and setting up the application for abstraction and auditing. No toolbar icons are available for any Administration menu options. To access the Administration menu items, click on the **Administration** menu item, and select the desired sub-option, or use the appropriate keystroke combination for the desired sub-option.




Entry of a special Administrator password is required in order to access the Administration menu items; the application will prompt you for the Administrator password when you attempt to access any of the Administration menu items. Please see the **Abstract Plus Training Manual for Administrators** for more information regarding Abstract Plus Administrator functions.

The following table describes the Abstract Plus Administration menu sub-options:

Sub-option (Keystroke)	Function
Administrator Login/Modify Password (Ctrl+A)	Log in as Administrator or change the Administrator password
Create/Modify Users (Ctrl+U)	Add, edit, or delete a user account or reset a password
Application Preferences (Ctrl+E)	Maintain all general, security, database and report application settings
Manage Abstracting Display Types (Ctrl+D)	Create, edit, or delete display types available for the abstracting features
Manage Audit Display Types (Ctrl+F)	Create, edit, or delete display types available for the auditing features (currently disabled)
Manage Audit Look-ups (Ctrl+G)	Maintain special audit lookup tables (currently disabled)
Manage Audit Databases (Ctrl+H)	Create, edit, or delete audit databases (currently disabled)

The Auditor Menu

The Auditor menu is used to access all of the available auditing features, such as opening and closing audits, and performing casefinding, reabstraction, and recoding audits. No toolbar icons are available for any Auditor menu options. To access the Auditor menu items, click on the **Auditor** menu item, and select the desired sub-option, or use the appropriate keystroke combination for the desired sub-option.



Entry of a special Auditor password is required in order to access the Auditor menu items; the application will prompt you for the Auditor password when you initially access any of the Auditor menu items. **Note:** If the Administrator password has already been entered, entry of the Auditor password is not required; Administrators automatically have access to all auditing features.

Please note that due to development priorities, Abstract Plus version 3.1 is being released without the Auditor features; description of Auditor features provided in this manual is for informational purposes only. The Auditor features of Abstract Plus will be released in a future version of the program.

The following table describes the Abstract Plus Auditor menu sub-options:


Sub-option (Keystroke)	Function
Auditor Login/Modify Password (Ctrl+Shift+A)	Login as Auditor, and/or modify Auditor password
Perform Casefinding (Ctrl+Shift+F)	Perform a casefinding audit on opened audit
Run Casefinding Reports	Run casefinding audit pre-reconciliation and final reports
Export Non-match Abstracts (Ctrl+Shift+E)	Export unreported tumors found upon casefinding audit in NAACCR file format
Perform Reabstracting (Ctrl+Shift+R)	Perform a reabstracting audit on opened audit
Run Reabstracting Reports	Run reabstraction audit pre-reconciliation and final reports
Export Reabstraction Audit (Ctrl+Shift+S)	Export text file with reabstracting audit data for further analysis
Perform Recoding (Ctrl+Shift+T)	Perform a recoding audit on opened

	audit
Run Recoding Reports	Run recoding audit pre-reconciliation and final reports
Export Recoding Audit (Ctrl+Shift+U)	Export text file with recoding audit data for further analysis
Close Audit (Ctrl+Shift+C)	Close the audit


The Utilities Menu

The Utilities menu is used to access a few supplementary functions included in the program, such as re-running edits in batch mode, querying your local database of doctors, managing facility and doctor codes, and deleting abstracts.

To access the Utilities menu items, click on the **Utilities** menu item, and select the desired sub-option, or use the appropriate keystroke combination for the desired sub-option.




The following table describes the Abstract Plus Utilities menu sub-options:

Sub-option (Keystroke)	Toolbar Icon	Function
Doctor Query System (Alt+Q)		Query and search the doctor database; DQS can be accessed whether or not an abstract is opened, or a physician field selected
Manage Facility Codes...		Import (can use Alt+I keystroke) or edit (can use Alt+J keystroke) local facility codes
Manage Doctor Codes...		Import (can use Alt+K keystroke) or edit (can use Alt+L keystroke) local physician codes
Delete Abstract(s) (Alt+P)		Delete selected abstracts
Notepad (Alt+N)		Launch Notepad to view created text files

The Reports Menu

The Reports menu is used to access all of the available reports regarding abstracts in the Abstract Plus database. No toolbar icons are available for any Reports menu options.

To access the Reports menu items, click on the **Reports** menu item, and select the desired report, or use the appropriate keystroke combination for the desired report.




The following table describes the Abstract Plus Reports menu sub-options:

Sub-option (Keystroke)	Function
Accession Register (Alt+Shift+A)	Opens the Accession Register Report, which includes a line listing of all abstracts in the database, sorted by reporting hospital and accession number
Patient Index (Alt+Shift+P)	Opens the Patient Index Report, which includes a line listing of all abstracts in the database, sorted alphabetically by name
Selected Cases (Alt+Shift+S)	Opens a line listing report which includes abstracts based on user-specified criteria
Status Report (Count of Cases) Summary... (Alt+Shift+T)	Opens a report that includes the total number of complete and incomplete abstracts by export status within a user-specified date range
Completion Status of Abstracts by month (Alt+Shift+C)	Opens a report that includes abstract completion status by year and month of Date of Adm/1 st Contact within a user-specified date range
Report Wizard (Alt+Shift+W)	Newly-added feature to enable users to generate their own custom reports (currently disabled)
Edit Custom Reports (Alt+Shift+E)	Edit an existing custom report (currently disabled)
Run Custom Reports (Alt+Shift+R)	Runs selected custom reports that have been added to the application using the Report Wizard
Report Generator Help	Opens online help for the Report Wizard; optional installation by Administrator required (currently disabled)

The Options Menu

For security purposes, users may want to change their passwords and security questions on a routine basis. The Options menu is used to update the user's security questions or change their password. No toolbar icons are available for any Options menu selections.

To access the Options menu items, click on the **Options** menu item, and select the desired sub-option, or use the appropriate keystroke combination for the desired sub-option.



The following table describes the Abstract Plus Options menu sub-options:

Sub-option (Keystroke)	Function
Update Security Questions (Ctrl+Q)	Opens the Update User's Security Questions window with the current User ID displayed along with the current security questions and answers specified by the user; new answers to existing questions may be entered, as well as new questions and answers
Change Password (Ctrl+Shift+P)	Opens Change User's Password window, where the user can enter their current password, and a new password in both New Password and Confirm Password in order to change their password




Note

For more information regarding updating personal security questions, see page 32 of this manual or click [here](#). For more information regarding changing your general user password, see page 26 of this manual or click [here](#).



The Help Menu

The Help menu is used to access the online help that is available within the program. To access the Help menu items, click on the **Help** menu item, and select the desired sub-option, or use the appropriate keystroke combination for the desired sub-option.



The following table describes the Abstract Plus Help menu sub-options:

Sub-option (Keystroke)	Toolbar Icon	Function
------------------------	--------------	----------

Contents... (Ctrl+F1)		View the contents of Abstract Plus online Help
Search for help on... (F1)		Enter search terms for topics on which you need more information
About (F10)		View Abstract Plus, Collaborative Staging, and Edits metafile version information
Run SEER Hematopoietic Database		Launch the SEER Hematopoietic Database stand-alone application to help you code hematopoietic and lymphoid neoplasms cases diagnosed beginning January 1, 2010

New Abstract Plus Abstracting and Editing Features

One of the primary activities that Abstract Plus is used for is the abstraction of information from medical records. As mentioned, Abstract Plus version 3.1 has been entirely reprogrammed using .NET technology, and has a new, extremely user-friendly abstracting interface. New direct grid entry of coded values and quick select options for pull-down menus allow for an easy, streamlined abstracting experience, as well as easier viewing of text fields, online help, and edit errors.

The Abstract Plus Abstracting Process

The basic process of generating and updating an abstract is as follows:

- i. Create the abstract with the patient's identifiers, such as name and social security number and save. After you create an abstract, you can save it at any time and return to your work at a later time.
- ii. Enter codes and text in the data entry fields. Save the abstract to retain the information you have entered.
- iii. Correct errors. Each time you open or save the abstract, Abstract Plus can automatically edit the entered information for accuracy and completeness using the edit set and required fields chosen by your Abstract Plus Administrator.
- iv. After you have entered all your data and corrected all errors, the system saves your new abstract as complete. You will see the edits error count and completion status indicators at the bottom of the abstracting window turn from red to green, indicating that the abstract is complete.

The Abstract Plus Abstracting Window

The Abstract Plus Abstracting window is divided into 2 main sections: a data entry grid for coded values on the left, and a data entry grid for text fields on the right. When you left-click and hold your mouse on the vertical divider bar in the center of the window, a splitter is highlighted which you can drag to the left or right to resize the view of codes or text fields, and the application remembers your last placement of the divider bar. You can vertically scroll the view of coded values and text fields independently to easily and concurrently view codes and associated text.

The screenshot shows the Abstract Plus 3.1 application window. The interface is divided into several sections:

- Section Headers:** Callouts point to the 'ATIENT ID' and 'DEMOGRAPHIC' section headers on the left side of the form.
- Custom Data Item Labels:** A callout points to the 'Name--Last' field label.
- Direct Grid Entry:** A callout points to the 'Addr at DX--City' field.
- Right-click Any Field for Help and Edit Errors:** A callout points to the 'Name--Last' field.
- Easy, Direct Access to Text Fields:** A callout points to the 'Physical Examination' text area.
- Can Resize Panes:** A callout points to the 'X-Ray/Scans' pane.
- Edit Error Count:** A callout points to the 'Date of Diagnosis' field.
- Completion Status:** A callout points to the 'Staging' field.

The status bar at the bottom indicates: Ready ... EDITS (Error Count = 0) Completion Status: No 06/12/2010 NUSER(NAU).

The Abstract Plus version 3.1 user-friendly abstracting interface includes all new abstracting features. Please see page 47 of this training manual, or click [here](#) for more information regarding Abstract Plus abstracting features.

The abstracting interface is called a **display type**. A display type basically includes information regarding the fields displayed/collected, critical (or required) fields, edit set selections, and collaborative staging preferences, and is configured by your Abstract Plus Administrator upon setup of the application. The data items in a display type are labeled and ordered by your Administrator, as well as grouped into logical sections, which also have customizable labels.



Note

Regardless of the customized label a data item may have, when a data item is selected, the associated NAACCR item name is always displayed in the lower left-hand corner of the window. This information is helpful when looking up information regarding a data item in the online help reference books.

New Data Quality Edits and Error Resolution Features

Abstract Plus 3.1 - [DOE, JOHN M - AbsRefID: 19]

File Administration Auditor Utilities Reports Options Help Edit Set: Central: Vs12 State Example - Incoming Abstracts

New Open Close Save Print Copy EDITS DQS Import Export ? Edit Set Results

Abstract No. 19 Held ?

Abstract Sections Display Types APDefault

PATIENT ID

Name--Last: DOE
Name--First: JOHN
Name--Middle: M
Name--Maiden:
Name--Alias:
Social Security Number: 999-99-9999
Addr at DX--No Street: 123 EAST MAIN ST
Addr at DX--Supplement:
Addr at DX--City: ATLANTA
Addr at DX--State: GA - Georgia
Addr at DX--Postal Code: 999999999
County at DX: 087
Race 1: 01 - White
Race 2: 88 - No further race documented
Race 3: 88 - No further race documented
Race 4: 88 - No further race documented
Race 5: 88 - No further race documented
Spanish/Hispanic Origin: 0 - Non-Spanish; non-Hispanic

DEMOGRAPHIC

Date of Birth: 1961/03/16
Date of Birth Flag:
Birthplace: 000
Sex: 1 - Male
Text--Usual Occupation: FARMER
Text--Usual Industry: FARMER/RANCHER

CANCER IDENTIFICATION

Date of Diagnosis:
Date of Diagnosis Flag:
Abstract Copied ... EDITS (Error Count =43) Completion Status: No 10/21/2010 NUS

Physical Exam

X-Ray/Scans (Inc

Scopes (Endosc

Lab Tests (Not C

OP/Surgical Proc

Pathology (Cytolo

Primary Site Title

Histology Title (T

Staging Decision

Surgery (Surgical

--- All Edit Errors ---

Error messages along with a list of fields and values checked by the edit are listed below each failed edit. Click on a field below any error message to move to it in the data entry area and make corrections.

Edit Set Name: Central: Vs12 State Example - Incoming Abstracts
Total Edit Errors for Abstract: 43

Missing Critical Field: [Text--DX Proc--PE](#)
Missing Critical Field: [Text--DX Proc--Op](#)
Missing Critical Field: [Text--DX Proc--Path](#)
Missing Critical Field: [Text--Staging](#)

Edit Name: Age at Diagnosis (SEER AGEDX)
Error: Age at Diagnosis not valid
[Edit Description](#)
Fields In Edit: [Age at Diagnosis = <BLANK>](#)

Edit Name: Behavior ICD03 Conversion (NAACCR)
Error: <BLANK> is not a valid value for Behavior Code ICD-O-3
[Edit Description](#)
Fields In Edit: [Behavior Code ICD-O-3 = <BLANK>](#)

Edit Name: Cause of Death (SEER COD)
Error: Cause of Death not valid
[Edit Description](#)
Fields In Edit: [Cause of Death = <BLANK>](#)

Edit Name: Class of Case (COC)
Error: <BLANK> is not a valid value for Class of Case
[Edit Description](#)
Fields In Edit: [Class of Case = <BLANK>](#)

Edit Name: Diagnostic Confirmation (SEER DXCONF)
Error: Diagnostic Confirmation not valid
[Edit Description](#)
Fields In Edit: [Diagnostic Confirmation = <BLANK>](#)

Edit Name: Grade
Error: <BLANK> is not a valid value for Grade
[Edit Description](#)
Fields In Edit: [Grade = <BLANK>](#)

Each time an abstract is opened or saved, Abstract Plus automatically edits the entered information for accuracy and completeness using the edit set and required fields chosen by your Abstract Plus Administrator.



Important You must resolve all edit errors and fill in all critical (required) fields in order to **complete** the abstract.


Abstract Plus version 3.1 has all-new edit error display features that greatly facilitate the error resolution process. Editing features include display of the **name of the edit set** being run at the top of the abstracting window and an all-new **Edit Set Results** window. Please see page 61 of this training manual, or click [here](#) for more information regarding Abstract Plus editing features.

Changing Your General User Password


For security purposes, you may be prompted to change your general user password periodically, based on the Password Policy specified by your Abstract Plus Administrator. Your Administrator specifies your password requirements, how often you need to change your password, as well as how many of your last passwords you cannot repeat.

To change your Abstractor/general user password, complete these steps:


1. Open the **Change User's Password** window. This may be done in 2 ways:
 - a. From **Options Menu**, select **Change Password**.




- b. When logging in to Abstract Plus, enter your **User ID**, tab or click into the Password box, and then click **Change Password** on the Login window.




Result: The **Change User's Password** window opens, with your User ID displayed.



2. Enter your **Current Password** in **Old Password** box.




3. Enter a **New Password** in **New Password** box that meets the password requirements specified by your Abstract Plus Administrator.

**Note**

If your Administrator has made no changes, by default, your new password must be between 8 and 20 characters, contain at least one digit and one alphabetical character, and must not contain any special characters.

4. Re-enter your **New Password** in the **Confirm Password** box.



5. Click **OK** to change your password.

Result: Your password is changed, and the Abstract Plus main window is opened.


Possible Errors when Changing Your Password

There are three possible errors you may receive when attempting to change your password:


1. **Old password is incorrect.** You must correctly enter your old password in order to successfully change it. Click **OK**, and then correctly re-enter your old password.



2. **New passwords do not match.** The new password entered into the **New Password** and **Confirm Password** boxes must match exactly. Click **OK**, and then correctly re-enter your new password in the New and Confirm password boxes.



3. **New password does not meet specified password requirements.** Your new password must meet the password requirements specified by your Abstract Plus Administrator. Click **OK**, and then re-enter a new password that meets the stated password requirements.




Resetting a Forgotten Password

In the event that you should forget your password, Abstract Plus version 3.1 has a security challenge question feature that will allow you to reset your own password without having to contact your Administrator. The security challenge question feature enables you to securely reset your password by answering a specified number of the security questions that you selected and answered upon initial login to Abstract Plus.

Your answers to these questions are used to validate your identity; Abstract Plus will ask you for the answers you provided to your chosen security questions, and then allow you to reset your password if the questions are answered correctly. If you forget both your password and your answers to your security questions, you will need to have your Abstract Plus Administrator reset your password.

To reset your password if you have forgotten it, complete these steps:

1. When logging in to Abstract Plus, enter your **User ID**, tab or click into the Password box, and then click **Forgot Password** on the Login window.



Result: The **Reset User's Password** window opens, with your User ID displayed, as well as the number of security questions specified by your Administrator upon set up of Abstract Plus.


2. Enter the answer to each displayed question with the same answer you provided upon initial login to Abstract Plus.

3. Click **Validate Questions** once all questions are answered.

Result: The **Reset User's Password** window opens, with your User ID displayed.

4. Enter a **New Password** in both the **New** and **Confirm** password boxes, and then click **Reset Password**.

Result: The **Forgot Password** window opens, with your User ID displayed.



5. Enter your **New Password** in Password box, and click **OK**.


Result: The Abstract Plus **main window** opens, with you logged in as a general user. Your password has been successfully set to the new password you have specified.

Updating Personal Security Questions

Once you are logged in to Abstract Plus, you can update your selected security questions and/or answers at any point. For example, if you selected the security question of “How many children do you have?” and you just had a new child enter your family, you can update your answer to this question.

To update your security questions and/or answers, complete these steps:

1. From **Options Menu**, select **Update Security Questions**.



Result: The **Update User's Security Questions** window opens, with your User ID displayed, as well as the current security questions and answers which you have specified. For added security asterisks are displayed rather than your answers to the questions.

Update User's Security Questions

Your current security question and answer selections are listed below. Revise your selections as necessary and click Submit Questions.

UserID:

How many siblings do you have?

How old were you at your wedding? (Enter age as digits.)

How many children do you have?

2. You can select new questions and answer them or supply new answers to your previously selected questions. When you have completed your changes, click **Submit Questions**.

Update User's Security Questions

Your current security question and answer selections are listed below. Revise your selections as necessary and click Submit Questions.

UserID:

How many siblings do you have?

How old were you at your wedding? (Enter age as digits.)

How many children do you have?


Result: You are returned to the Abstract Plus **main window** with your changes saved for future use.

Exiting Abstract Plus and Using the Backup Option


When logging off and exiting Abstract Plus, the application will prompt you to back up the current abstract database.

To log off / exit Abstract Plus and use the database backup option, complete these steps:


1. Exit Abstract Plus. This can be done in 3 ways:
 - a. Click on the **File** menu, and select **Exit**.



- b. Use the keystroke **Alt+F4**.
 - c. Click the **X** in upper right corner of screen.




Result: The **Exit Program** window opens, and asks if you are sure you want to exit the program.



2. Click **Yes**.


Result: The **Backup Database** window opens, and asks if you would like to backup your Abstract Plus abstracts database (ABSPLUS.MDB).




Although you can choose not to backup your database, it is **highly recommended** that you backup your database after finishing an abstracting session during which changes were made (abstracts were added, updated, or deleted). Note that the Backup and Restore Database menu options **are not available when using SQL Server database**.


3. Click **Yes**.

Result: The **Abstract Plus Database Backup** window opens with defaults set.



4. To change the default path, navigate to and identify the location on your computer or network where you would like to save your backup file by clicking the **Folder** icon .


Result: The **Browse for Folder** window opens.






The default location for saving backup files is C:\RegPlus\AbstractPlus\MDBS\Backup. You may navigate to a different location if you so choose.

5. To accept the default location for saving the backup, click **OK**.
6. Select the desired **compression level** for the zip file if other than the default.




7. Enter a **password** (optional) to encrypt the zip file. Click **Save** to create the backup and exit or click **Close** to exit the application without saving the backup file.



Important

If you choose to password-protect your backup file, the encrypted zip file **cannot** be restored without the specified password. It is very important that you remember this password!

Result: The backup is saved in the zip file, and a confirmation window opens. A progress bar is also displayed at the bottom of the screen.



**Note**

A progress bar is also displayed at the bottom of the screen.

8. Click **OK**.


Result: The Abstract Plus application **closes**.

Using the Restore Option

In the event that your Abstract Plus abstracts database (ABSPLUS.MDB) is corrupted, if you have used the Backup option to backup your database you will be able to restore your database using the Restore option. The Restore option allows you to go back to a file that you saved with the same Abstract Plus version on a date when you encountered no problems. This is why it is so strongly recommended that you back up your work when exiting the application.


To use the Restore option to restore your Abstract Plus abstract database to an earlier saved backup, complete these steps:


1. Open the Restore Database window. This can be done in 2 ways:
 - a. Click on the **File** menu, and select **Restore**.




- b. Use the keystroke **Ctrl+Y**.

Result: The **Restore Abstract Plus Database** window opens.



2. Navigate to and identify the zipped backup file on your computer or network by clicking the **Folder** icon .

Result: The **Select the file you want to restore** window opens with a list of backup files displayed.




Note


The default location for saving backup files is C:\RegPlus\AbstractPlus\MDBS\Backup. You may need to navigate to a different location if you saved your backup file in a location other than the default location.

3. Select the backup file to which you wish to restore your Abstract Plus abstract database, and click **Open**.


Result: You are returned to the **Restore Abstract Plus Database** window, with the selected backup file displayed.



4. If you password protected the selected backup file, enter the password in the password box, and click **Restore**.



Result: The Abstract Plus main window opens, with the selected abstracts backup database restored. You may now resume abstracting activities.



Questions

Answer these questions about Abstract Plus General User Basics (the answers are in Appendix A, on page 124):

1. What are the first things you need to do upon initial login into Abstract Plus?
2. What is the point of the security challenge questions in Abstract Plus?
3. Why is it important that you have your own user ID and password?
4. When logging off Abstract Plus, how can you ensure that the work you did during the session is secure and safe?

Chapter 3: Working with Abstracts

Learning Objectives

In this chapter, you will learn to:

- Import abstracts into Abstract Plus
- Identify the areas in the Abstract Plus abstracting screen
- Create a new abstract
- Modify an abstract, including entering text, coding histologic type, and coding and deriving Collaborative Staging fields
- Correct errors in an abstract
- Copy an abstract
- Export abstracts
- Print a range of abstracts
- Use the Utility functions (Utilities)
- Use the Help functions to find out more information about fields

Overview

This chapter covers the basics about abstracting and working with abstracts in Abstract Plus version 3.1. It includes a description of the process by which abstracts are generated, modified, edited, and completed, as well as how to print and copy existing abstracts and how to import and export abstracts in NAACCR file format.

You can start working with abstracts by

- Importing abstracts in NAACCR format
- Creating a new abstract
- Searching for and opening an existing abstract
- Copying an existing abstract and saving it as a new one


An existing abstract can be modified and the changes saved. Abstracts can also be exported in NAACCR format to any other system.


Importing Abstracts

You can import abstracts in NAACCR format from any system into Abstract Plus. Both complete and incomplete abstracts can be imported, as long as the information is in NAACCR file format.


To import an abstracts or file of abstracts in NAACCR file format, complete these steps:

1. Open the Import Abstracts window. This can be done in 3 ways:
 - a. Click on the **File** menu, and select **Import Abstracts in NAACCR Format**.



- b. Click the Import icon on the tool bar .
- c. Use the keystroke **Ctrl+L**.

Result: The **Import Abstracts in NAACCR Format** window opens.




The Import Abstracts function allows you to import NAACCR-format Version 11.x or 12.x abstract records of NAACCR Record Types I, C, A, or M. Any records in NAACCR version 11.x will be converted to the latest NAACCR version prior to importing (e.g., NAACCR version 12.0), and Collaborative Staging will be re-derived. The import function also performs a basic structural check for record size and version number before importing the abstracts. The system will verify that the file contains valid NAACCR records and will display a record count and other information about the file.

The Import Abstracts window includes these fields and options:

Field/Option	Description
Import File	The name and location of the file of abstracts in NAACCR file format to be imported (click Select File to identify file for import)
Total Abstracts	The total number of abstracts included in the file to be imported
Importing Abstract No.	While importing, this field displays the sequential number of the abstract currently being imported
Total Abstracts Imported	While importing and upon completion of import, this field displays the total number of abstracts imported
Layout Version	The NAACCR Record Version [item #50]of the file to be imported
NAACCR Abstract Type	The NAACCR Record Type [item # 10] of the abstracts in the file to be imported
File contains CrLf	The import file may or may not contain Carriage Return, Line Feed characters after each abstract; this field informs you as to whether it does or not
Use Incoming File's Export Status	Option to use the export status included in the import file; when checked, Abstract Plus will check the field of Date Case Report Exported [item #2110]---if the Date Case Report Exported is filled, the incoming abstract will be marked as exported within Abstract Plus 3.1
Check Abstracts' completed Status for import	Option to set the Completion Status of the imported abstracts to Complete or Incomplete


2. Click **Select File** to navigate to the file to be imported on your computer or network.

Result: The **Select File** window opens defaulted to the C:\RegPlus\AbstractPlus\Imports folder.




3. **Select the file** of abstracts in NAACCR file format that you would like to import, and click **Open**. In the example shown, the file being selected and imported is named v12Data.dat.

Result: You are returned to the Import Abstracts window, where preliminary information is displayed about the file selected for import, such as the number of abstracts in the file and the NAACCR abstract type. In the example shown, the V12Data.dat file includes 17 abstracts of Record Type A in NAACCR Record Version 12.0 (120), and contains Carriage Return and or Line Feed characters after each abstract.



4. Specify the **Completion Status** (complete or incomplete) that you would like to assign to all abstracts in the imported file. Click **Import**. In the example shown, the default option of Incomplete is being selected.


Result: The abstracts in the import file are imported into Abstract Plus. When the import is complete, the application lets you know by stating “Import Complete...” on the status bar in the lower left-hand corner of the window.



Notice the Import Log button on this window. Clicking **Import Log** opens the Import Log window, where you can view the history of the abstracts imports.


5. Click **Import Log**.

Result: The Import Log window opens.



6. Enter either a desired export **date range** or click **Find All**.

Result: The system displays information about the data that has been imported: the date the file was imported, the number of abstracts in the file, the number of abstracts imported, the name of the abstractor that imported the abstracts, and the imported file name.



7. Click **Close** to close the Import Log, and **Close** again to close the Import window.

Activity 2 - Importing Abstracts


Using what you have just learned, import a file of abstracts in NAACCR file format into Abstract Plus. You can import a file of your own, or any of the sample data files in the Abstract Plus Imports folder.


Please see page 41 of this training manual or click [here](#) for more information about importing abstracts into Abstract Plus.

Creating a New Abstract

To create a new abstract, complete these steps:

1. Open the Abstract Plus Abstracting window. This can be done in 3 ways:
 - a. Click on the **File** menu, and select **New Abstract**.



- b. Click the New icon on the tool bar .
- c. Use the keystroke **Ctrl+N**.

Result: The **Abstract Plus Abstracting Window** opens.

The Abstract Plus Abstracting Window

As mentioned, Abstract Plus version 3.1 has been entirely reprogrammed using .NET technology, and has a new, extremely user-friendly abstracting interface. New direct grid entry of coded values and quick select options for pull-down menus allow for an easy, streamlined abstracting experience, as well as easier viewing of text fields, online help, and edit errors.

The Abstract Plus Abstracting window is divided into 2 main sections: a data entry grid for coded values on the left, and a data entry grid for text fields on the right. When you left-click and hold your mouse on the vertical divider bar in the center of the window, a splitter is highlighted which you can drag to the left or right to resize the view of codes or text fields, and the application remembers your last placement of the divider bar. You can vertically scroll the view of coded values and text fields independently to easily and concurrently view codes and associated text.

The screenshot shows the Abstract Plus 3.1 software interface. The window title is 'Abstract Plus 3.1 - [AbsRefID: 0]'. The menu bar includes File, Administration, Auditor, Utilities, Reports, Options, and Help. The toolbar contains icons for New, Open, Close, Save, Print, Copy, EDITS, DQS, Import, and Export. The main window is divided into two panes. The left pane is titled 'Unsaved Abstract' and contains a list of data entry fields grouped by section headers: 'PATIENT ID' (Name-Last, Name-First, Name-Middle, Name-Maiden, Name-Alias, Social Security Number, Address fields, Race fields, Spanish/Hispanic Origin), 'DEMOGRAPHIC' (Date of Birth, Birthplace, Date of Birth Flag, Sex, Text-Usual Occupation, Text-Usual Industry), and 'CANCER IDENTIFICATION' (Date of Diagnosis, Date of Diagnosis Flag). The right pane is titled 'Physical Examination' and contains text entry fields for 'X-Ray/Scans (Including Other Imaging Examination)', 'Lab Tests (Not Cytology or Histopathology)', 'OP/Surg...', 'Pathology (Cytology and Histopathology Reports)', 'Primary Site Title', 'Histology Title (Type, Behavior, and Grade)', 'Staging Decisions', and 'Surgery/Surgical Procedures for Treatment'. Callouts highlight various features: 'Section Headers' points to the section headers in the left pane; 'Custom Data Item Labels' points to the labels in the left pane; 'Direct Grid Entry' points to a field in the left pane; 'Right-click Any Field for Help and Edit Errors' points to a field in the left pane; 'Easy, Direct Access to Text Fields' points to a text field in the right pane; 'Can Resize Panes' points to the border between the two panes; 'Edit Error Count' points to the 'EDITS (Error Count=0)' indicator at the bottom; and 'Completion Status' points to the 'Completion Status: No' indicator at the bottom. The status bar at the bottom shows 'Ready...', 'EDITS (Error Count=0)', 'Completion Status: No', '06/07/2010', and 'NUSER(AU)'.

Recall that the basic process of generating and updating an abstract is as follows:

- i. Create the abstract with the patient's identifiers, such as name and social security number and save. After you create an abstract, you can save it at any time and return to your work at a later time.
- ii. Enter codes and text in the in the data entry fields. Save the abstract to retain the information you have entered.
- iii. Correct errors. Each time you open or save the abstract, Abstract Plus can automatically edit the entered information for accuracy and completeness using the edit set and required fields chosen by your Abstract Plus Administrator.
- iv. After you have entered all your data and corrected all errors, the system saves your new abstract as complete. You will see the edits error count and completion status indicators at the bottom of the abstracting window turn from red to green, indicating that the abstract is complete.

The Abstractor uses the following abstracting features of the abstracting window to enter information regarding the patient and tumor being abstracted:

- a. Many data items offer **code selection from drop-down lists**. In addition, the drop-down lists feature an auto-complete, **find-as-you-type** function that allows the user to type in the first letter, or first few letters, of the desired code label, and

the application auto-selects the first item in the list beginning with that letter. In the example shown below, an A has been typed into the Race 1 field, and the application auto-selects the value of American Indian, Aleutian, or Eskimo:



Tip

If you begin typing in the data item, but find you need to revise what you have typed, press the backspace key to delete what you have already entered and start typing again. This enables the find-as-you-type feature to automatically find your revised entry.

- b. For data items with extensive listing of coded values, such as histology, there is lookup assisted data entry with an **advanced search feature**. You can either enter the code directly if known, or click on the magnifying glass icon to the left of the data item (or press F4) to use the search feature:


Enter a full or partial search term or code to search for, and then double-click on the code of your choice to transfer the value to the data item in the data entry grid.

CODE	DESCRIPTION
C619	Gland, prostate
C619	Prostate gland
C619	Prostate, NOS
C680	Prostatic utricle
C680	Utricle, prostatic


- c. Depending on the system preferences set by your Abstract Plus Administrator, users can **automatically calculate Age at Diagnosis** once date of birth and diagnosis are entered, and can **calculate Collaborative Staging** by clicking on the calculator icon to the left of the data item:




- d. **Prompt messages** may be associated with each data item, so that when the abstractor clicks into the field, a pop-up box comes up with a message or instructions about abstracting that field:



- e. When entering text, a **progress bar** is displayed below each text field indicating how much space is left so that you can properly prioritize the information you are entering:



- f. **Keyboard and mouse alternatives** are now available for every function in the software. Note that Keystroke options are displayed on menus for all menu items, and [Appendix B](#) of this training manual contains a listing of standard Abstract Plus keyboard shortcuts to functions.
- g. All-new **right-click functions** for individual data items, including access to field context help, edits error information, field messages, and a function to clear all Collaborative Stage fields:



- h. **Color-coded edits error count and abstract completion status** information is clearly displayed to the user at the bottom of the abstracting window, and changes from red to green upon completion of the abstract:


Incomplete abstract containing edit errors:

EDITS (Error Count=2)	Completion Status: No	09/29/2009	NUSER(NAU)
-----------------------	-----------------------	------------	------------


Complete abstract containing no edit errors:

EDITS (Error Count=0)	Completion Status: Yes	09/29/2009	NUSER(NAU)
-----------------------	------------------------	------------	------------

- i. Once saved, each abstract is assigned an unique **Abstract Reference ID** (or AbsRefID), displayed in the upper left-hand corner of the data entry area of abstracting window, as well as in the title bar of the application along with the patient name:



- j. **Abstracts can be held to prevent export.** The **Held** check box allows an abstractor to prevent a case from being exported even if it is considered complete by the system. This can be used if, for example, the abstractor is searching for additional information to be included before the abstract is exported. If checked, the abstract will not be exported, regardless of Completion Status:



Entering Dates in Abstract Plus 3.1

As of the NAACCR version 12 record layout, all dates are in the YYYYMMDD format. Because the NAACCR standards are so tightly integrated with the Abstract Plus program, dates are entered in the YYYY/MM/DD format in Abstract Plus v3.1.

The Abstractor will enter dates in the new YYYYMMDD format as follows:

YYYYMMDD – when complete date is known and valid

YYYYMM – when year and month are known and valid, and day is unknown

YYYY – when year is known and valid, and month and day are unknown

Blank – when no known date applies



Tip

Abstract Plus 3.1 has a date field entry mask on all date fields that already has the slashes in it. Although the application allows you to type the slashes and dashes when entering dates fields, you can save keystrokes by **only typing the 8 characters of the date**. For example for the date of August 1, 2010, the date can be entered as 20100801.

Activity 3 - Creating a New Abstract and Abstracting Patient Information

Using what you have just learned, create a new abstract. Please see page 46 of this training manual or click [here](#) for more information about creating a new abstract.

1. Type **DOE** in the **Name--Last** field, and press **Enter**. Notice that the next field is now highlighted.

The screenshot shows a form titled 'PATIENT ID'. It has two input fields: 'Name--Last' which contains the text 'DOE', and 'Name--First' which is currently highlighted with a blue selection bar.

2. Enter the following information in the following fields:

Field	Value to be Entered
Name--First	JOHN
Name--Middle	M
Name--Maiden	Leave blank (press enter to move to next field)
Name--Alias	Leave blank (press enter to move to next field)
Social Security Number	999-99-9999
Addr at DX—No Street	123 EAST MAIN ST
Addr at DX—Supplementl	Leave blank (press enter to move to next field)
Addr at DX--City	ATLANTA

3. Click or tab into the **Addr at DX** State field.

Result: A list of states appears in the Select New Value field.

4. Start typing **Georgia**. Notice that the system displays the full name of the state in the even before you finish typing. Press **Enter**.

The screenshot shows a dropdown menu for the 'Addr at DX--State' field. The menu is open, displaying a list of states and territories. 'GA - Georgia' is highlighted in blue. Other visible options include 'FM - Federated States of Micronesia', 'GU - Guam', 'HI - Hawaii', 'IA - Iowa', 'ID - Idaho', 'IL - Illinois', 'IN - Indiana', and 'KS - Kansas'.



Tip

If you begin typing in the data item, but find you need to revise what you have typed, press the backspace key to delete what you have already entered, and start typing again. This enables the find-as-you-

type feature to automatically find your revised entry.

5. Type **999999999** in the **Addr at DX—Postal Code** field, and press **Enter**.
6. Click on the magnifying glass icon to the left of the **County at DX** field to open the Code Lookup for County at DX window.

Result: The **Code Lookup for County at DX** window opens.

CODE	DESCRIPTION
039	Camden County
083	Dade County
087	Decatur County
089	DeKalb County
185	Lowndes County

7. Enter **DE** in the search box, and double-click on the **087** value for **Decatur County**.

Result: The value of **087** is automatically entered into the data entry grid for the **County at DX** field, and the **Code Lookup for County at DX** window automatically closes.

8. Enter the following information in the following fields, either typing the value, using the drop-down list feature, or using the advanced search feature by clicking on the magnifying glass icon where available:

Field	Value to be Entered
Race 1	01 – White
Race 2	88 – No further race documented
Race 3	88 – No further race documented
Race 4	88 – No further race documented
Race 5	88 – No further race documented
Spanish/Hispanic Origin	0 – Non-Spanish; non-Hispanic
Date of Birth	1961/03/16
Date of Birth Flag	Leave blank (press enter to move to next field)
Birthplace	000 – United States, NOS

Field	Value to be Entered
Sex	1 – Male
Text—Usual Occupation	FARMER
Text—Usual Industry	FARMER/RANCHER

Questions—Creating Abstracts

Answer these questions about creating an abstract in Abstract Plus (the answers are in Appendix A, on page 124):

1. What are the three ways that you can use to start working with abstracts?
2. What are the two main areas of the Abstract Plus Abstracting window?


Entering Information into Text Fields

The NAACCR Volume II Data Dictionary defines text documentation as an essential component of a complete electronic abstract. Text information is utilized for quality control and special studies, and is needed to justify coded values and to document supplemental information not transmitted within coded values. High-quality text documentation facilitates consolidation of information from multiple reporting sources at the central registry.

The text field must contain a description that has been entered by the abstractor independently from the code(s). Information documenting the disease process and treatments provided should be entered manually from the medical record. It is best practice to abstract all available text information prior to entering codes for any of the coded cancer identification of treatment data items.

In Abstract Plus, the various text fields are presented within the data entry grid on the right side of the Abstracting Window. The order and names of the text fields that you see is specified by your Abstract Plus Administrator upon set up of the software.

You can scroll up and down in the text entry grid separate from the data entry grid on the left, facilitating the concurrent viewing of text and codes. Note that when entering text, a helpful progress bar is displayed below each text field that indicates how much space is left so that you can properly prioritize the information you are entering.



Note Line returns are not allowed in Abstract Plus text fields. Pressing Enter will move the cursor to the next text field in the text entry grid.

Activity 4 - Entering Text Fields

To practice entering text into the text area entry grid, enter the following information into the following text fields:

Text Field	Value to be Entered
Physical Examination	02/15/2007: 45 yo white, non-Hispanic male presenting with prostate cancer. Retired farmer.
X-ray/Scans (including Other Imaging Examination)	None; no metastases
Lab Tests	02/17/2007: PSA , elevated, 0.2 ng/ml
OP/Surgical Procedures	02/23/2007: TURP, NOS
Pathology	Adenocarcinoma, NOS, grade 1
Primary Site Title	Prostate
Histology Title (Type, Behavior, and Grade)	Adenocarcinoma, in situ, grade I
Staging Decisions	001 mm tumor, in situ, no lymph node involvement

Activity 5 - Abstracting Cancer Information

To practice entering information regarding cancer identification information about the tumor being reported, enter the following information into the following fields either by typing the value, using the drop-down list feature, or using the advanced search feature by clicking on the magnifying glass icon where available:

Field	Value to be Entered
Date of Diagnosis	2007/02/23
Date of Diagnosis Flag	Leave blank (press enter to move to next field)
Primary Site	C619 (Prostate, NOS)
Laterality	0 – Not a paired site

Note: Upon entry of both the Date of Birth and Date of Diagnosis fields, The Age at Diagnosis (045) is automatically calculated and entered into the Age at Diagnosis field.

Abstracting Histologic Type


Prior to cases diagnosed in 2010, coding of Histologic Type in Abstract Plus entailed using the advanced search feature for the Histologic Type field: click the magnifying glass icon to

the left of the field, enter a search term in the search window that opens, and double-click the histologic code that is listed for the specific term for which a search was conducted.

However, new reportability instructions and data collection rules for hematopoietic and lymphoid neoplasms have gone into effect for cases diagnosed beginning January 1, 2010. As a result, two tools have been developed by SEER for use beginning in 2010: The Hematopoietic and Lymphoid Neoplasm Case Reportability and Coding Manual, and the Hematopoietic Database (DB). The Hematopoietic and Lymphoid Neoplasm Case Reportability and Coding Manual comes with the Hematopoietic Database; contains reportability instructions and rules for determining the number of primaries, the primary site and histology, and grade.

The Hematopoietic DB is a stand-alone application developed to assist in screening for reportable cases and determining reportability requirements, and contains abstracting and coding information for all hematopoietic and lymphoid neoplasms (9590/3-9992/3).

The SEER Hematopoietic Database must be independently installed and maintained by the Abstractor. It can be downloaded from the following URL: <http://seer.cancer.gov/tools/heme/>. In order to stay abreast of revisions in the database, it is recommended that you sign up on the website to receive e-mails when the database is updated:



Sign Up for E-mail Updates

If you would like to receive notification via e-mail when new releases of the program become available, please sign up using the form below. Your information will only be used to send you future notices about the Hematopoietic Database.


Name:

Email Address (required):

Organization:

Once installed on the same computer on which Abstract Plus is installed, the Hematopoietic Database is minimally integrated into Abstract Plus, and can be launched in the following 3 ways:

- i. **From the Histology Lookup window:** Click on the magnifying glass icon to the left of the Histologic Type ICD-O-3 data item (or press F4) to use the search feature:



Histologic Type ICD-O-3

Behavior Code ICD-O-3

Grade


Date of Diagnosis

Place of Di


Histologic Type ICD-O-3

To display a searchable list of possible values, click the magnifying glass icon next to the field, or press F4.

And then click the Hematopoietic Database blood drop icon to launch the database.



- ii. Click on the **Help** menu, and select **Run SEER Hematopoietic Database**.



- iii. Click the Hematopoietic Database icon on the tool bar .



Tip

Be sure to follow the steps in the flowchart in [Appendix C](#) when using Hematopoietic Database and Manual to code hematopoietic and lymphoid neoplasms.

Activity 6 - Abstracting Histologic Type


To practice entering Histologic Type, complete these steps:

1. Click the magnifying glass icon to the left of the Histologic Type ICD-O-3 field, and type Adenocarcinoma, NOS in the Search box.

Result: The **Code Lookup for Histologic Type ICD-O-3** window opens.


Code Lookup for Histologic Type ICD-O-3

To code primary site, histologic type, and grade (cell indicator) for hematopoietic and lymphoid neoplasms (e.g., leukemias, lymphomas, plasma cell, and myelodysplastic neoplasms; i.e. histologies of 9590/3-9992/3) diagnosed in 2010 and later, you must use the SEER Hematopoietic Database.

 Run Hematopoietic Database

For all other neoplasms, please enter a value to search on in the below box.

Enter a value to search for Histologic Type ICD-O-3


 Search

CODE	DESCRIPTION
8822	Abdominal desmoid
8822	Abdominal fibromatosis
9871	Abnormal marrow eosinophils, acute myeloid leukemia with (includes all variants) (C42.1)
9871	Abnormal marrow eosinophils, acute myelomonocytic leukemia with (includes all variants) (C42.1)
8075	Acantholytic squamous cell carcinoma
8720	Adenocarcinoma (C44.1)

2. Type **Adenocarcinoma** in the search box, and **double-click** the **8140** code value to the left of the **Adenocarcinoma in situ, NOS** description.


Code Lookup for Histologic Type ICD-O-3

To code primary site, histologic type, and grade (cell indicator) for hematopoietic and lymphoid neoplasms (e.g., leukemias, lymphomas, plasma cell, and myelodysplastic neoplasms; i.e. histologies of 9590/3-9992/3) diagnosed in 2010 and later, you must use the SEER Hematopoietic Database.

 Run Hematopoietic Database

For all other neoplasms, please enter a value to search on in the below box.


Enter a value to search for Histologic Type ICD-O-3

 Search

CODE	DESCRIPTION
8280	Acidophil adenocarcinoma (C75.1)
8550	Acinar adenocarcinoma
8551	Acinar cell cystadenocarcinoma
8550	Acinic cell adenocarcinoma
8244	Adenocarcinoma and carcinoid, combined
8560	Adenocarcinoma and epidermoid carcinoma, mixed
8560	Adenocarcinoma and squamous cell carcinoma, mixed
8255	Adenocarcinoma combined with other types of carcinoma
8210	Adenocarcinoma in a polyp, NOS
8210	Adenocarcinoma in adenomatous polyp
8220	Adenocarcinoma in adenomatous polyposis coli (C18.2)
8221	Adenocarcinoma in multiple adenomatous polyps
8210	Adenocarcinoma in polypoid adenoma
8210	Adenocarcinoma in situ in a polyp, NOS
8210	Adenocarcinoma in situ in adenomatous polyp
8210	Adenocarcinoma in situ in polypoid adenoma
8210	Adenocarcinoma in situ in tubular adenoma
8263	Adenocarcinoma in situ in tubulovillous adenoma
8261	Adenocarcinoma in situ in villous adenoma
8140	Adenocarcinoma in situ, NOS
8210	Adenocarcinoma in tubular adenoma

Result: The value of **8140** is automatically entered into the data entry grid for the Histologic Type ICD-O-3 field, and the Code Lookup for Histologic Type ICD-O-3 window automatically closes.



In this activity, we are abstracting the histologic type for an Adenocarcinoma of the prostate. If you are abstracting Histologic Type for a hematopoietic or lymphoid neoplasm, be sure to click the blood drop icon  to run the SEER Hematopoietic Database.


3. Complete the coding for the Cancer Identification section by entering the following information into the following fields either typing the value or using the drop-down list feature:


Field	Value to be Entered
Behavior Code ICD-O-3	2 – Carcinoma in situ
Grade	1 – Grade 1; well differentiated
Diagnostic Confirmation	1 – Positive Histology

Saving Abstracts

Once you have entered information into an abstract, it is a good idea to save your work often. To save your work, complete these steps:

1. Saving an abstract can be done in 3 ways:
 - a. Click on the **File** menu, and select **Save Abstract**.



- b. Click the Save icon on the tool bar .
 - c. Use the keystroke **Ctrl+S**.

Results:

- 1) The **information entered thus far for the abstract is saved** to the database, and
- 2) **edits will run** (depending on the way your Abstract Plus Administrator set up your Abstract Plus application).
- 3) The **Edit Set Results** window opens and displays information about any edit errors the abstract may contain.

Abstract Plus 3.1 - [DOE, JOHN M - AbsRefID: 18]

Abstract No. 18

PATIENT ID

Name-Last: DOE
Name-First: JOHN
Name-Middle: JM
Name-Maiden:
Name-Alias:
Social Security Number: 999-99-9999
Addr at DX--No., Street: 123 EAST MAIN ST
Addr at DX--Supplement:
Addr at DX--City: ATLANTA
Addr at DX--State: GA - Georgia
Addr at DX--Postal Code: 999999999
County at DX: 087
Race 1: 01 - White
Race 2: 88 - No further race docum
Race 3:
Race 4: 88 - No further race docum
Race 5: 88 - No further race docum
Spanish/Hispanic Origin: 0 - Non-Spanish; non-Hispa

DEMOGRAPHIC

Date of Birth: 1961/03/16
Date of Birth Flag:
Birthplace: 000
Sex: 1 - Male
Text--Usual Occupation: FARMER
Text--Usual Industry: FARMER/RANCHER

CANCER IDENTIFICATION

Date of Diagnosis: 2007/02/23
Date of Diagnosis Flag:
Registry ID:
EDITS (Error Count =35) Completion Status: No 11/03/2010 NUS

Edit Set Results

--- All Edit Errors ---

Error messages along with a list of fields and values checked by the edit are listed below each failed edit. Click on a field below any error message to move to it in the data entry area and make corrections.

Edit Set Name: Central: Vs12 State Example - Incoming Abstracts
Total Edit Errors for Abstract: 35
No Missing Critical Fields.

Edit Name: Cause of Death (SEER COD)
Error: Cause of Death not valid
[Edit Description](#)
Fields In Edit: [Cause of Death = <BLANK>](#)

Edit Name: Class of Case (COC)
Error: <BLANK> is not a valid value for Class of Case
[Edit Description](#)
Fields In Edit: [Class of Case = <BLANK>](#)

Edit Name: ICD Revision Number (NPCR)
Error: ICD Revision Number not valid
[Edit Description](#)
Fields In Edit: [ICD Revision Number = <BLANK>](#)

Edit Name: Place of Death (NAACCR)
Error: <BLANK> is not a valid value for Place of Death
[Edit Description](#)
Fields In Edit: [Place of Death = <BLANK>](#)

Edit Name: Primary Payer at DX (COC)
Error: <BLANK> is not a valid value for Primary Payer at DX
[Edit Description](#)
Fields In Edit: [Primary Payer at DX = <BLANK>](#)

Edit Name: Rad--Regional RX Modality (COC)
Error: <BLANK> is not a valid value for Rad--Regional RX Modality
[Edit Description](#)
Fields In Edit: [Rad--Regional RX Modality = <BLANK>](#)

Edit Name: Reason for No Surgery (SEER

- 4) Once saved, each abstract is assigned an unique **Abstract Reference ID** (or AbsRefID), displayed in the upper left-hand corner of the data entry area of abstracting window, as well as in the title bar of the application along with the patient name:


Abstract Plus 3.1 - [DOE, JOHN M - AbsRefID: 18]

Abstract No. 18

Abstract Sections

RX Date--Hormone Flag:
RX Summ--Hormone:
RX Date--BRM: / /

5) The EDITS Error Count and Abstract Completion status indicators reflect the current edit error count and completion status of the abstract. If there are any errors within the abstract, both of these indicators will display in red. In the example shown, the abstract contains 35 edit errors and as a result, is deemed incomplete.



Correcting Edit Errors

For any abstract you can run edits and view edit errors by **saving** the abstract, clicking the **EDITS** button on the toolbar, or pressing **F8**.

Each time an abstract is opened or saved Abstract Plus automatically edits the entered information for accuracy and completeness using the edit set and required fields chosen by your Abstract Plus Administrator.




You must resolve all edit errors and fill in all critical (required) fields in order to **complete** the abstract.


Abstract Plus version 3.1 has all-new edit error display features that greatly facilitate the error resolution process. Editing features include:

- a. The **edit set** being run on the abstract is clearly **displayed** at the top of the abstracting window. In the example shown, the edit set being applied is named **Central Vs 12 State**


Example - Incoming Abstracts:




- b. When edits are run, the **Edit Set Results** window automatically opens and displays the full information for any edit errors that exist, or lets you know that there are no errors. The Edit Set Results window lists the total number of edit errors for the abstract, missing critical (required) fields, and the edit errors. For each edit error, the failed edit name, error message, and fields involved in the edit are listed. Using the information listed in the Edit Set Results window to help you resolve the edit errors, you can click on a link to a field to move to it in the data entry grid and make corrections:





When greater detail regarding the edit is required to resolve the edit error, click on the **Edit Description** link, which expands to display the edit description; once opened, you can click anywhere to close the edit description:



- c. Edit errors can be viewed for the entire abstract, or just for individual fields. You can view **all edit errors** for the abstract as shown above by clicking on the EDITS icon on the toolbar , right-clicking and selecting **Run Edits**, or by pressing **F8**.


Or you can choose to view **edit errors by individual data field** by right-clicking and selecting **Edits Information**, or by clicking **F2**. In the example shown, the edit errors for the individual field of Date of Diagnosis are being viewed:



When viewing edit errors for an individual field, you can **switch** from the individual data field edit errors view to the all edit errors view by clicking on the **Show All**  button.



Tip


You can make corrections to fields by clicking on the links to the fields in the Edit Set Results windows. To see your corrections reflected, click the **Refresh**  button.

Activity 7 - Correcting Edit Errors

To practice correcting edit errors, complete the following steps:

1. Either **save** the abstract, click the **EDITS** button on the toolbar, or press **F8** to run the edits.

Result: The Edit Set Results window opens and displays information regarding any edit errors within the abstract.



Abstract Plus 3.1.1 - [DOE, JOHN M - AbsRefID: 18]

Edit Set Results

--- All Edit Errors ---

Error messages along with a list of fields and values checked by the edit are listed below each failed edit. Click on a field below any error message to move to it in the data entry area and make corrections.

Edit Set Name: Central: Vs12 State Example - Incoming Abstracts

Total Edit Errors for Abstract: 35

No Missing Critical Fields.

Edit Name: Cause of Death (SEER COD)
Error: Cause of Death not valid
[Edit Description](#)
Fields In Edit: [Cause of Death = <BLANK>](#)

Edit Name: Class of Case (COC)
Error: <BLANK> is not a valid value for Class of Case
[Edit Description](#)
Fields In Edit: [Class of Case = <BLANK>](#)

Edit Name: ICD Revision Number (NPCR)
Error: ICD Revision Number not valid
[Edit Description](#)
Fields In Edit: [ICD Revision Number = <BLANK>](#)

Edit Name: Place of Death (NAACCR)
Error: <BLANK> is not a valid value for Place of Death
[Edit Description](#)
Fields In Edit: [Place of Death = <BLANK>](#)

Edit Name: Primary Payer at DX (COC)
Error: <BLANK> is not a valid value for Primary Payer at DX
[Edit Description](#)
Fields In Edit: [Primary Payer at DX = <BLANK>](#)

Edit Name: Rad--Regional RX Modality (COC)
Error: <BLANK> is not a valid value for Rad--Regional RX Modality
[Edit Description](#)
Fields In Edit: [Rad--Regional RX Modality = <BLANK>](#)

Edit Name: Reason for No Surgery (SEER)

Abstract No. 18

Abstract Sections

RX Date--BRM
RX Date--BRM Flag
RX Summ--BRM
RX Date--Other
RX Date--Other Flag
RX Summ--Other
RX Summ--Treatment Sta...
RX Summ--Scope Reg L...
RX Summ--Surg Oth Reg/...
RX Summ--Transplnt/End...
RX Summ--Systemic/Sur...
First Course Calc Method
2 - SFFR definitions

F-UP/RECURRENT/DEATH

Date of Last Contact
Date of Last Contact Flag
Vital Status
Follow-Up Source
Cause Of Death
ICD Revision Number
Place Of Death
Physician--Follow-Up
NPI--Physician--Follow-Up

OVER-RIDES/CONVERSION/SYSTEM ADMIN.

Abstracted By
NAU
Registry ID
9999999999
ICD-O-3 Conversion Flag
0 - Morphology ICD03 original
Over-ride Age/Site/Morph
Over-ride SeqNo/DxConf
Over-ride Site/SeqNo

Scopes (Endoscopic Examina

Lab Tests (Not Cytology or Hist

02/17/2007: PSA, elevated, 0.

OP/Surgical Procedures Stagi

02/23/2007: TURP, NOS

Pathology (Cytology and Hist

Adenocarcinoma, NOS, grade

Primary Site Title

Prostate

Histology Title (Type, Behavior

Adenocarcinoma, in situ, grade

Staging Decision

Cause Of Death

Official cause of death code from death certificate, or special code:
0000 Patient alive at last contact.
7777 Death certificate not available.
7797 Death certificate available but underlying cause of death not coded.


EDITS (Error Count =35) Completion Status: No 11/03/2010 NUS

2. In the Edit Set Results window, click on the [Cause of Death = <BLANK>](#) link.

Result: The application directs you to the Cause of Death field in the data entry grid, so that you can correct the error.

3. Enter **0000** to indicate that the patient was alive at last contact, and resolve the edit error.
4. Either **save** the abstract, click the **EDITS** button on the toolbar, press **F8**, or click **Refresh** to run the edits.

Result: The application re-runs the edits. The Cause of Death edit error is **removed** from the Edit Set Results window, and the **Total Edit Errors for Abstract count goes down by 1**.



Tip

The edit error resolved in this exercise was easy to figure out. If you need further detail regarding the edit error to resolve the error, click on the **Edit Description** link for the failed edit, which will expand to display the edit description information.

Abstracting and Deriving Collaborative Staging Fields

Abstract Plus 3.1 has some special features to facilitate the abstraction of Collaborative Staging (CS) input fields, in particular for the Site-specific Factors (SSFs).

Abstracting CS Input Fields

Once the fields of primary site and histology have been entered, each CS input data item has a special site-specific look-up associated with it that is accessed by clicking the magnifying glass icon to the left of the field or pressing F4.

Abstracting CS SSFs

Abstract Plus allows for automatic defaulting of CS SSFs and running of edits to identify required CS fields, automatic filling in of CS Version fields, as well as the blanking out of CS input fields for cases diagnosed 2003 and earlier.

For the filling of the CS Version fields, once the Abstractor enters Primary Site, Histology, DxDate and Behavior (in no particular expected order), the fields of CS Version Input Current (item #2937) and CS Version Input Original (item #2935) are both automatically filled **when the Abstractor enters any CS input field**. CS Version Derived (item #2936) is filled when you derive the CS derived fields.

Once entered, a check on primary site and histology is run to ascertain whether or not SSF25 is required for schema identification. Upon checking the primary site and histology entered:

1. If SSF25 is required for the primary site and histology entered:
 - a. The SSF25 look-up window for the entered schema will open so that you can select a value for SSF25.
 - b. Once you have entered SSF25, automatic defaulting and disabling of SSFs that are undefined for the entered schema will occur. This will enable you to clearly discern what SSFs are not required, and which SSFs are required. The automatic defaulting will delineate what SSFs are not defined for the identified schema, and the running of edits will delineate what SSFs are required.



Note

If the primary site and histology initially entered are revised to result in a different schema, you will be offered the option of clearing all CS input fields and re-coding CS for the abstract. Regardless of whether you clear all values and re-code CS, or keep existing values and modify the codes, the above SSF defaulting routine will run again for the newly entered schema.

2. If SSF25 is not required for the primary site and histology entered:

- a. SSF25 will be automatically defaulted and disabled.
- b. Automatic defaulting and disabling of other SSFs that are undefined for the entered schema will occur. This will enable you to clearly discern what SSFs are not required, and which SSFs are required. The automatic defaulting will delineate what SSFs are not defined for the identified schema, and the running of edits will delineate what SSFs are required.


Calculating Derived CS Fields

To derive the derived CS fields, after the appropriate CS input fields have been entered, place the cursor into any of the derived fields and click the calculator icon to the left of the field, or press F5.

CS Site-Specific Factor25	988
Derived SS2000	
Derived SS2000--Flag	
CS Version Input Current	020200
CS Version Input Original	020200
CS Version Derived	

CS Fields and Tumors Diagnosed 2003 and Earlier

One further helpful feature is that upon entry of a Date of Diagnosis of 2003 and earlier, you will be offered the option of clearing all CS fields.



The Clear Collaborative Staging Values window opens automatically upon entry of a diagnosis year of less than 2004. However, you can clear Collaborative Staging fields at any time by using the **right-click function of Clear Collaborative Stage Fields** or **pressing F9**.



Tip

U <u>ndo</u>	Ctrl+Z
Cu <u>t</u>	Ctrl+X
C <u>o</u> py	Ctrl+C
P <u>a</u> ste	Ctrl+V
D <u>e</u> lete	Alt+D
S <u>e</u> lect A <u>l</u> l	Alt+A
Field Context H <u>e</u> lp	F1
Edits I <u>n</u> formation	F2
F <u>i</u> eld M <u>e</u> ssage	F3
R <u>u</u> n E <u>D</u> ITS	F8
C <u>l</u> ear C <u>o</u> llaborative S <u>t</u> age F <u>e</u> lds	F9

Activity 8 - Abstracting and Deriving Collaborative Staging Fields

To practice abstracting and deriving CS fields and using the CS special help features provided by Abstract Plus, complete the following steps:

1. Type **001** in the **CS Tumor Size** field (or click the **magnifying glass icon** to have the application guide the entry of the value), representing a tumor size of 001 millimeters. Press **Enter**.



















Result:

- a) The **CS Version Input Current and Original fields are filled** in and disabled.
- b) **Automatic defaulting of SSFs undefined for the entered schema** (in this case prostate) **occurs**, and these fields are disabled. In the example shown, SSF25 is automatically defaulted.

If a SSF is defined for the entered schema, it will not be defaulted, as valid values will exist and can be coded for the SSF. However, there will be SSFs that are defined for schemas that are not currently being required/collected. Depending on your reporting requirements, these SSFs that are defined but not required may require the entry of **988 (Not applicable; information not collected for this case)**.



Defined, **required** SSFs will not be defaulted, and they will be listed as edit errors in the Edit Results window. You will need to enter a valid code for these SSFs. Defined, **not required** SSFs will not be defaulted and will not be counted as edit errors in the Edit Results window. Depending on your reporting requirements (enforced by the edits), these SSFs may either be left blank, or may need to be manually filled with 988 (Not applicable; information not collected for this case), or 999.

STAGE/PROGNOSTIC FACTORS	
CS Tumor Size	 001
CS Extension	
CS Tumor Size/Ext Eval	
CS Lymph Nodes	
CS Mets at DX	
CS Site-Specific Factor 1	
CS Site-Specific Factor 2	
CS Site-Specific Factor 3	
CS Site-Specific Factor 8	
CS Site-Specific Factor 9	
CS Site-Specific Factor10	
CS Site-Specific Factor11	
CS Site-Specific Factor12	
CS Site-Specific Factor13	
CS Site-Specific Factor14	
CS Site-Specific Factor25	 988
Derived SS2000	
Derived SS2000--Flag	
CS Version Input Current	020200
CS Version Input Original	020200
CS Version Derived	

In the above example, the prostate schema has been entered, and the CS defaulting routine has run. You can see that SSF25 has been defaulted. The remaining SSFs in the display type are defined for the entered schema, and so have not been defaulted. You can see which of the defined SSFs are required by viewing the Edit Results window. Depending on the reporting requirements, the remaining SSFs can either be left blank, or may have to be manually coded to 988 (or applicable code for not required).

Enter the following information into the remaining CS fields either by just typing the value in the field or using the advanced search feature to guide your input by clicking on the magnifying glass icon to the left of the field:

Field	Value to be Entered
CS Extension	000 (in situ; non-invasive; intraepithelial)
CS Tumor Size/Ext Eval	1 (No prostatectomy done. Evaluation based on endoscopic examination, diagnostic biopsy, including needle core biopsy or fine needle aspiration biopsy, transurethral resection (TURP) or other invasive techniques including surgical observation without biopsy. No autopsy evidence used.)




Field	Value to be Entered
CS Lymph Nodes	000 (None; no regional lymph node involvement)
CS Mets at DX	00 (No; one)
Site-Specific Factor 1 (PSA lab value)	004 (004 ng/ml; actual value with implied decimal point)
Site-Specific Factor 2 (PSA interpretation)	010 (Positive; elevated)
Site-Specific Factor 3 (Pathologic extension)	970 – No prostatectomy done within first course of treatment
Site-Specific Factor 8	Leave blank or code 988 (Not applicable; information not collected for this case)
Site-Specific Factor 9	Leave blank or code 988 (Not applicable; information not collected for this case)
Site-Specific Factor 10	Leave blank or code 988 (Not applicable; information not collected for this case)
Site-Specific Factor 11	Leave blank or code 988 (Not applicable; information not collected for this case)
Site-Specific Factor 12	Leave blank or code 988 (Not applicable; information not collected for this case)
Site-Specific Factor 13	Leave blank or code 988 (Not applicable; information not collected for this case)
Site-Specific Factor 14	Leave blank or code 988 (Not applicable; information not collected for this case)






In all example cases and display types in Abstract Plus, only NPCR reporting requirements are enforced. In the above example, although SSFs 8-14 were **defined** for the entered schema (prostate) and therefore were not automatically defaulted/disabled, they were not **required for collection** as determined by the running of the edits. If reporting requirements do not require that a value be submitted in these fields, they can be left blank. If reporting requirements require that a value be submitted in these fields, the proper value to abstract for these fields is **988 (Not applicable; information not collected for this case)**.

Once all CS input fields have been filled in, you must derive the CS derived fields as appropriate. Place the cursor in the derived field, and either press **F5** or click the **calculator icon** to the left of the field. In the example shown, the derived fields of Derived SS2000 and Derived SS2000 Flag will be calculated or derived (note that these are the only derived fields that NPCR requires to be calculated for cases diagnosed 2010 and earlier).

2. Click the **calculator icon** to the left of the Derived SS2000 field, or press **F5**.

CS Site-Specific Factor25		988
Derived SS2000		
Derived SS2000--Flag		
CS Version Input Current		020200
CS Version Input Original		020200
CS Version Derived		

Result: The appropriate **derived CS fields are calculated** and values are automatically filed in. In the example shown, Derived SS2000 and Derived SS2000---Flag fields are calculated and filled. In addition the **CS Version Derived** field is also automatically filled upon derivation.

CS Site-Specific Factor25		988
Derived SS2000		0
Derived SS2000--Flag		1
CS Version Input Current		020200
CS Version Input Original		020200
CS Version Derived		020200

Questions---Abstracting and Saving Information

Answer these questions about abstracting and saving information in Abstract Plus (the answers are in Appendix A, on page 124):

1. How do you know how much data you can enter into any particular text field?
2. How do you open the SEER Hematopoietics Database to obtain coding help for hematopoietic and lymphoid neoplasms diagnosed beginning January 1, 2010?
3. How do you save an abstract?
4. What is an Abstract Reference ID (AbsRefID), and when is it generated for an abstracts?
5. How do you know that an abstract contains errors, and where can you find the total number of errors that exist in an abstract?
6. Where do you obtain the information you need about any edit errors that exist in an abstract?
7. When coding Collaborative Staging fields, what Site-specific Factors are defaulted?

Completing Abstracts

As mentioned, you must resolve all edit errors and fill in all critical (required) fields in order to complete an abstract. Abstract Plus displays helpful, color-coded edits error count and abstract completion status information at the bottom of the abstracting window. Once you have resolved all edit errors and completed all missing critical fields, upon the next save of

the abstract, the status information changes from red to green upon completion of the abstract:

Incomplete abstract containing edit errors:

EDITS (Error Count =2)	Completion Status: No	09/29/2009	NUSER(NAU)
------------------------	-----------------------	------------	------------

Complete abstract containing no edit errors:


EDITS (Error Count =0)	Completion Status: Yes	09/29/2009	NUSER(NAU)
------------------------	------------------------	------------	------------


Closing Abstracts

Once you have entered information into an abstract and saved your work, you can close the abstract and open it in the future to complete your work. You can also search for an open completed abstracts.


To close an abstract, complete these steps:

1. Abstracts can be closed in 3 ways:
 - a. Click on the **File** menu, and select **Close Abstract**.



- b. Click the Save icon on the tool bar  **Close**.
 - c. Use the keystroke **Alt+C**.

Result: The abstract is closed, and you are returned to the Abstract Plus main window.



Activity 9 - Completing and Closing an Abstract

Using what you have just learned, complete and close the John Doe abstract.

1. To complete the John Doe abstract, enter the following information into the following fields, either typing the value, using the drop-down list feature, or using the advanced search feature by clicking on the magnifying glass icon where available:

Field	Value to be Entered
Reporting Facility	0000000000
NPI--Reporting Facility	Leave blank (press enter to move to next field)
Type of Reporting Source	1 – Hosp. inpatient; Managed health plans with comprehensive unified records
Medical Record Number	12312312312
Primary Payer at DX	10 – Insurance, NOS
Sequence Number—Hospital	00
Date of 1 st Contact	2007/02/15
Date of 1 st Contact Flag	Leave blank (press enter to move to next field)

Field	Value to be Entered
Class of Case	10 - Initial diagnosis AND part or all of first course treatment or a decision not to treat done at the reporting facility, NOS
Date of 1 st Crs RX--COC	2007/02/23
Date of 1 st Crs RX--COC Flag	Leave blank (press enter to move to next field)
RX Date--Surgery	2007/02/23
RX Date--Surgery Flag	Leave blank (press enter to move to next field)
RX Summ--Surg Prim Site	19 – Transurethral resection (TURP), NOS
Reason for No Surgery	0 – Surgery of primary site performed
RX Date--Radiation	Leave blank (press enter to move to next field)
RX Date--Radiation Flag	11 – RX modality not given; autopsy only
Rad--Regional RX Modality	00 – No radiation treatment
RX Summ--Surg/Rad Seq	0 – No radiation and/or no cancer-directed surgery
RX Date--Chemo	Leave blank (press enter to move to next field)
RX Date—Chemo Flag	11 – RX modality not given; autopsy only
RX Summ--Chemo	00 – None
RX Date--Hormone	Leave blank (press enter to move to next field)
RX Date--Hormone Flag	11 – RX modality not given; autopsy only
RX Summ--Hormone	00 - None
RX Date--BRM	Leave blank (press enter to move to next field)
RX Date--BRM Flag	11 – RX modality not given; autopsy only
RX Summ--BRM	00 - None
RX Date--Other	Leave blank (press enter to move to next field)
RX Date--Other Flag	11 – RX modality not given; autopsy only
RX Summ--Other	0 – None
RX Summ--Treatment Status	1 – treatment given
RX Summ--Scope Reg LN Sur	0 – No regional lymph nodes removed
RX Summ--Surg Oth Reg/Dis	0 – None
RX Summ--Transplnt Endocr	00 – No transplant or endocrine therapy; autopsy-only

Field	Value to be Entered
RX Summ--Systemic/Sur Seq	0 – No systemic therapy and/or surgical procedures
First Course Calc Method	1 – COC definitions
Date of Last Contact	2007/02/23
Date of Last Contact Flag	Leave blank (press enter to move to next field)
Vital Status	1 – Alive
Follow-up Source	0 – Reported hospitalization
ICD Revision Number	0 – Patient Alive
Place of Death	997 (Alive)
Physician Follow-Up	99999999 (Follow-up physician unknown or ID number not assigned)
NPI—Physician Follow-Up	Leave blank

2. Click **Save** to save your work.

Result: Edits are run; the **Edit Set Results window** opens and displays a message indicating that **no errors remain** on the abstract. In addition, the **EDITS error count and completion status bars** at the bottom of the abstracting window turn from **red to green** to indicate that the abstract has been deemed **complete** by the system.

The screenshot displays the Abstract Plus 3.1 software interface. The main window is titled "Abstract No.3" and contains a form for editing abstract data. The form is divided into sections: "Abstract Sections" (with a dropdown menu set to "APDefault"), "Display Types", and a list of fields including "Laterality", "Histologic Type ICD-O-3", "Behavior Code ICD-O-3", "Grade", "Diagnostic Confirmation", "STAGE/PROGNOSTIC FACTORS", and "HOSPITAL SPECIFIC". Each field has a corresponding input box or dropdown menu. The "STAGE/PROGNOSTIC FACTORS" section is expanded, showing various factors like "CS Tumor Size", "CS Extension", "CS Tumor Size/Ext Eval", "CS Lymph Nodes", "CS Mets at DX", and "CS Site-Specific Factor 1" through "CS Site-Specific Factor 25". The "HOSPITAL SPECIFIC" section is also visible at the bottom.

On the right side, there is a separate window titled "Edit Set Results". It displays the following information:

- All Edit Errors**: Error messages along with a list of fields and values checked by the edit are listed below each failed edit. Click on a field below any error message to move to it in the data entry.
- Edit Set Name**: Central: Vs12 State Example - Incoming Abstracts
- Total Edit Errors for Abstract**: 0
- No Missing Critical Fields.**

Two black arrows are present: one pointing to the "Total Edit Errors for Abstract" value (0) and another pointing to the "HOSPITAL SPECIFIC" section in the main abstract editor.

At the bottom of the main window, a status bar shows "Abstract Saved...", "EDITS (Error Count=0)", "Completion Status: Yes", "06/14/2010", and "NUSF".


3. **Close** the abstract. For more information about how to close an abstract, see page 72 of this training manual, or click [here](#).


Searching for and Opening an Existing Abstract

We have just learned that you can begin abstracting work by creating a new abstract. Another way that you can begin abstracting work is to search for and open an existing abstract.

To find and open an existing abstract, complete these steps:

1. Existing abstracts can be searched for and opened in 3 ways:
 - a. Click on the **File** menu, and select **Open/Find Abstract**.



- b. Click the **Open** icon on the tool bar .
- c. Use the keystroke **Ctrl+O**.

Result: The **Open/Find Abstract** window opens.

Query Criteria

Query Items [Multiple item selection allowed]

☒ All ☐ Complete Abstracts Only ☐ Incomplete Abstracts Only

Item Value

Last Name First Name Medical Record # Social Security #

Note: Partial name search allowed Example: 12345678901 Example: 123-12-1234

Abstract ID To: Reporting Hospital Date of Birth

Example: 1234567890 Example: 12345678901 Example: 2008/12/15 (YYYY/MM/DD)

Query

Select

Close

Query Results:

No Records Found

List of Abstracts to be Opened (Resulting from Search)

Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp

The Open/Find Abstract window has two main sections. The **patient query area** is located in the upper portion of window, and the lower portion of the window displays the query results as a list of abstracts from which the abstract of interest can be opened. Abstracts listed can be queried by any combination of patient first and last names, medical record number, social security number, date of birth, reporting hospital, or

Abstract Reference ID. In addition, abstracts can be queried for by abstract completion status by clicking on the appropriate search option at the top of the window.



Tip

If you click the Incomplete Abstracts Only search criteria option, only abstracts for which abstraction has not yet been completed will be displayed; this is very helpful for identifying abstracts yet to be completed.

The abstract list window includes these fields and column headings:

Columns	Description
Name	Name of Patient (Last, First)
Abstract ID	A system-generated number identifying the abstract
Date of Birth	Patient's date of birth
Social Security #	Patient's social security number
Sex	Patient's sex
Acc Num Hosp	Hospital accession number reported by the audited facility for the reported tumor
Seq Num Hosp	Sequence number hospital reported by the audited facility for the reported tumor
Date 1 st Contact	Date of 1 st contact reported by the audited facility for the reported tumor
Diagnosis Date	Diagnosis date of the reported tumor
Primary Site	ICD-O-3 topography code describing the location of the reported tumor
Reporting Hospital	COC code for the reporting facility that reported the tumor
Laterality	Code for the side of a paired organ, or the side of the body on which the reported tumor originated
Hist/Beh ICDO3	ICD-O-3 histology and behavior codes for the reported tumor
Medical Record #	Patient's medical record number
Date Last Contact	Date last contact reported by the audited facility for the reported tumor
Vital Status	Patient's vital status
Abstract Status	The status of the reabstract---incomplete, complete, or held



Tip

The order of the columns on the abstract list window may be modified. Simply left-click and hold on the column header, and slide the column to the desired position in the column viewing order.

- Query for a patient on the list of tumors to be opened. Enter the **first letter** of the patient's **last name** in the **Last Name search criteria** box on the Open/Find Abstract window, and click **Query**. You can also use any of the other available search criteria to search upon. In the example shown, the abstract being searched for is for a patient named John Doe, so a **D** is entered in the Last Name search criteria box.

The screenshot shows the 'Open / Find Abstract' window. At the top, there are radio buttons for 'All' (selected), 'Complete Abstracts Only', and 'Incomplete Abstracts Only'. Below this is the 'Item Value' section with input fields for Last Name (containing 'D'), First Name, Medical Record #, Social Security #, Abstract ID, Reporting Hospital, and Date of Birth. Each field has an example value. To the right of the input fields are three buttons: 'Query' (with a magnifying glass icon), 'Select' (with a green checkmark icon), and 'Close' (with a red X icon). Below the buttons, the 'Query Results' section shows 'No Records Found'. At the bottom, there is a table header with columns: Name, Abstract ID, Date of Birth, Social Security #, Sex, Acc Num Hosp, and Seq Num Hosp.

Result: The Open/Find Abstract window presents the results of the query, and displays any **potential matches** in the tumor list window.

The screenshot shows the 'Open / Find Abstract' window with the same search criteria as the previous image. The 'Query Results' section now shows '6 Abstracts found.' Below this is a table with the following data:

Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp
DANCER, CANDY	4	19200419	111-11-5015	Female	200100506	01
DAYS, HAPPY	12	19351022	111-11-5016	Female	200101067	02
DAYS, HAPPY	11	19351022	111-11-5016	Female	200101067	01
DOE, JOHN	18	19610316	999-99-9999	Male		00
DRIVER, CABBY	14	19330318	111-11-1078	Male	200101078	04
DRIVER, CABBY	13	19330318	111-11-1078	Male	200101078	03

- From the abstracts listed, locate the abstract of interest and **open it**, either by **double-clicking** the row for the abstract or select the row for the abstract and click **Select**.

Result: The **Abstract Plus Abstracting** window opens so that you can modify the abstract that has just been opened.

Abstract Plus 3.1 - [DOE, JOHN H - AbsRefID: 18]

File Administration Auditor Utilities Reports Options Help Edit Set: Central: Vs12 State Example - Incoming Abstracts

New Open Close Save Print Copy EDITS DQS Import Export ?

Abstract No. 18 Held

Abstract Sections Display Types APDefault

PATIENT ID

Name-Last: DOE
 Name-First: JOHN
 Name-Middle: M
 Name-Maiden:
 Name-Alias:
 Social Security Number: 999-99-9999
 Addr at DX-No Street: 123 EAST MAIN ST
 Addr at DX-Supplement:
 Addr at DX-City: ATLANTA
 Addr at DX-State: GA - Georgia
 Addr at DX-Postal Code: 99999999
 County at DX: 087
 Race 1: 01 - White
 Race 2: 88 - No further race documented
 Race 3: 88 - No further race documented
 Race 4: 88 - No further race documented
 Race 5: 88 - No further race documented
 Spanish/Hispanic Origin: 0 - Non-Spanish, non-Hispanic

DEMOGRAPHIC

Date of Birth: 1961/03/16
 Date of Birth Flag:
 Birthplace: 000
 Sex: 1 - Male
 Text-Usual Occupation: FARMER
 Text-Usual Industry: FARMER/RANCHER

CANCER IDENTIFICATION

Date of Diagnosis: 2007/02/23
 Date of Diagnosis Flag:

Physical Exam: 02/15/2007: 45
 X-Ray/Scans (In): None, no metast
 Scopes (Endosc):
 Lab Tests (Not C): 02/17/2007: PSA
 OP/Surgical Pro: 02/23/2007: TUF
 Pathology (Cytol): Adenocarcinoma
 Primary Site Title: Prostate
 Histology Title (T): Adenocarcinoma
 Staging Decision: 001 mm tumor, i
 Surgery (Surgic):

Ready ... EDITS (Error Count = 0) Completion Status: Yes 06/18/2010 NUS

Edit Set Results

Show All Refresh Close

----- All Edit Errors -----

Error messages along with a list of fields and values checked by the edit are listed below each failed edit. Click on a field below any error message to move to it in the data entry area and make corrections.


Edit Set Name: Central: Vs12 State Example - Incoming Abstracts
 Total Edit Errors for Abstract: 0
 No Missing Critical Fields.


Copying an Abstract

Thus far we have learned that you can begin abstracting work by creating a new abstract, or searching for and opening an existing abstract. The third way to begin abstracting is to copy an existing abstract and modify the information it contains. The copy feature is especially helpful for the reporting of patients with multiple primaries. Simply open the abstract for the first primary for the patient, copy the abstract, and then enter the tumor and treatment information for the subsequent primary tumor.

To copy an abstract, complete these steps:

1. Make sure that you have the abstract to be copied open in the abstracting window.
2. Abstracts can be copied in 3 ways:
 - a. Click on the **File** menu, and select **Copy Abstract**.



- b. Click the **Copy** icon on the tool bar .
- c. Use the keystroke **Ctrl+I**.

Result: The abstract is copied to a new Abstract Reference ID. Note that the patient demographics from the original abstract are copied into the new abstract, so that you need only enter information regarding the tumor being abstracted. Edits are run, and the Edits Error Count and Completion Status indicators will indicate that there are errors (missing fields) for the abstract and that the abstract is incomplete.

The screenshot shows the Abstract Plus 3.1 software interface. The main window displays the 'Abstract No 20' form with various fields for data entry. A secondary window, 'Edit Set Results', is open on the right, showing a list of 'All Edit Errors'. The errors are categorized by field and include messages such as 'Missing Critical Field', 'Edit Name', and 'Error'. The status bar at the bottom indicates 'EDITS (Error Count =38)' and 'Completion Status: No'.

Abstract No 20

Abstract Sections: [Dropdown] Display Types: APDefault

RX Date--Hormone Flag [Dropdown]
 RX Summ--Hormone [Dropdown]
 RX Date--BRM [Dropdown]
 RX Summ--BRM [Dropdown]
 RX Date--Other [Dropdown]
 RX Summ--Other [Dropdown]
 RX Date--Treatment Sta... [Dropdown]
 RX Summ--Scope Reg L... [Dropdown]
 RX Summ--Surg Oth Reg... [Dropdown]
 RX Summ--Transplnt/End... [Dropdown]
 RX Summ--Systemic/Sur... [Dropdown]
 First Course Calc Method: 2 - SEER definitions

F-UP/RECURRENCE/DEATH

Date of Last Contact [Dropdown]
 Date of Last Contact Flag [Dropdown]
 Vital Status [Dropdown]
 Follow-Up Source [Dropdown]
 Cause Of Death [Dropdown]
 ICD Revision Number [Dropdown]
 Place Of Death [Dropdown]
 Physician--Follow-Up [Dropdown]
 NPI--Physician--Follow-Up [Dropdown]

OVER-RIDES/CONVERSION/SYSTEM ADMIN.

Abstracted By: NAU
 Registry ID: 9999999999
 ICD-O-3 Conversion Flag: 0 - Morphology ICD03 originalh
 Over-ride Age/Site/Morph [Dropdown]

Physical Examination

X-Ray/Scans (Including Other [Dropdown])

Scopes (Endoscopic Examin...

Lab Tests (Not Cytology or His...

OP/Surgical Procedures Stag...

Pathology (Cytology and Hist...

Primary Site Title

Histology Title (Type, Behavio...

Staging Decisions

Surgery (Surgical Procedures

Edit Set Results

--- All Edit Errors ---

Error messages along with a list of fields and values checked by the edit are listed below each failed edit. Click on a field below any error message to move to it in the data entry area and make corrections.

Edit Set Name: Central: Vs12 State Example - Incoming Abstracts

Total Edit Errors for Abstract: 38

Missing Critical Field: Text--DX Proc--PE
 Missing Critical Field: Text--DX Proc--Op
 Missing Critical Field: Text--DX Proc--Path
 Missing Critical Field: Text--Staging

Edit Name: Age at Diagnosis (SEER AGEDX)
 Error: Age at Diagnosis not valid
 Edit Description
 Fields In Edit: Age at Diagnosis = <BLANK>

Edit Name: Behavior ICD03 Conversion (NAACCR)
 Error: <BLANK> is not a valid value for Behavior Code ICD-O-3
 Edit Description
 Fields In Edit: Behavior Code ICD-O-3 = <BLANK>

Edit Name: Cause of Death (SEER COD)
 Error: Cause of Death not valid
 Edit Description
 Fields In Edit: Cause of Death = <BLANK>

Edit Name: Class of Case (COC)
 Error: <BLANK> is not a valid value for Class of Case
 Edit Description
 Fields In Edit: Class of Case = <BLANK>

Edit Name: Diagnostic Confirmation (SEER DXCONF)
 Error: Diagnostic Confirmation not valid
 Edit Description
 Fields In Edit: Diagnostic Confirmation = <BLANK>

Edit Name: Grade
 Error: <BLANK> is not a valid value for Grade
 Edit Description
 Fields In Edit: Grade = <BLANK>

Abstract Saved ... EDITS (Error Count =38) Completion Status: No 11/03/2010 NUS

- Once you have finished work on the newly copied abstract, **save** your work, and **close** the abstract.

If you find an abstract that looks very much like an abstract you want to create for the same patient but with a different primary site, you can simply save the abstract as a new one and then modify the necessary fields in the new abstract.

Activity 10 - Finding, Opening, and Copying an Abstract

Use what you have just learned to practice searching for, opening and copying abstracts, complete these steps:

- Search for and open the John Doe abstract.** For more information on finding an opening existing abstracts, see page 76 of this training manual, or click [here](#).
- Now **copy the John Doe abstract.** For more information on copying abstracts, see page 80 of this training manual, or click [here](#).

An Aside on Abstract Plus “Projects”

A Project is an avenue for labeling an abstract and grouping abstracts together. With Abstract Plus version 2, all abstracts had to be assigned to a “Project”. In Abstract Plus version 2 at least one project had to exist in the system, and by default, version 2 of Abstract Plus came with a Project called STATE to which each new abstract needed to be physically assigned.

As the overwhelming majority of Abstract Plus users did not utilize the Projects feature of Abstract Plus version 2.0, although the use of Projects is still available, it is no longer required. In Abstract Plus version 3.1, Projects are optional True/False application-specific fields that can be added to any display type (in the same manner as any standard NAACCR data item). As a result, unless the central registry intentionally requires a Project field, abstracts are no longer required to be assigned to a project.

Questions---Completing, Finding, and Copying Abstracts:

Answer these questions about completing, finding, and copying abstracts in Abstract Plus (the answers are in Appendix A, on page 125):

1. How do you know when an abstract is complete?
2. How can you locate and open a specific saved abstract?
3. Can you change the information contained in an existing abstract?
4. How can you create a second abstract for a patient using the demographic information from an already existing abstract for the patient?
5. Can an abstract exist without being attached to a project?


Exporting Abstracts


When exporting abstracts, you can choose to export all abstracts in the abstracts database, including complete and incomplete abstracts, or enter criteria for selecting completed abstracts for export. Depending on how your Abstract Plus Administrator set up your application, the feature for including complete or incomplete abstracts during export may or may not be available to you.

You can export abstracts in NAACCR Layout or Delimited format, depending on options selected by your Abstract Plus Administrator upon setup of the program. The default is to export abstracts in the NAACCR file format. However, when enabled, the delimited format allows you to select which fields and in what order you would like exported in a comma-delimited text file.


To export abstracts, complete these steps:

1. Abstracts can be exported in 3 ways:
 - a. Click on the **File** menu, and select **Export Abstracts**.



- b. Click the **Export** icon on the tool bar .
- c. Use the keystroke **Ctrl+M**.

Result: The **Export Abstracts** window opens, and presents you with different options for exporting abstracts.



You can modify the default options selected on the export window to export only the particular abstracts that you would like to export.

**Note**

The **Mark Exported Abstracts as Exported** and **Export Only Un-Exported Abstracts To Date** options are selected by default and generally should not be changed as these options will prevent re-export of previously exported abstracts, thus preventing reporting of duplicate abstracts to your central registry.

The Export Abstracts window includes the following options for exporting abstracts:

Export Option	Description
Export All Abstracts in Database	When checked, this option will over-ride any other export option, and all abstracts in the database will be exported regardless of completion status
Mark Exported Abstracts as Exported	When this option is checked, all exported abstracts will be marked as exported; when used in combination with the Export Only Un-Exported Abstracts To Date export option, this prevents duplicate export of abstracts
Export Only Un-Exported Abstracts To Date	When this option is checked, only those completed abstracts that have not yet been exported will be exported; when used in combination with Mark Exported Abstracts as Exported export option, this prevents duplicate export of abstracts
Export by Date Created	This option allows the user to enter a date range to export completed abstracts by the date they were created
Export by Date Previously Exported	This option allows the user to enter a date range to export previously exported, completed abstracts by the date they were previously exported
Export by Dx Date	This option allows the user to enter a date range to export completed abstracts by the diagnosis date of the tumors reported in the abstracts
Export by Date Completed	This option allows the user to enter a date range to export completed abstracts by the date they were completed
Hospital ID	This option allows the user to enter a facility ID number to export completed abstracts for a particular facility
Project ID	For those users with applications set up to collect information on Projects, this option allows the user to enter a Project ID to export completed abstracts for a particular Project

Export Option	Description
Abstractor ID	This option allows the user to enter an Abstractor ID to export completed abstracts for a particular Abstractor
Abstract ID	This option allows the user to enter an Abstract Reference ID numbe (or range of AbsRefIDs) to export specific completed abstracts
Record Type	This option allows the user to enter the Record Type of A or M to export completed abstracts of either of those Record Types




The Export All Abstracts in Database function may only be available to administrators.

2. Select the export options you require, and Click **Select**.

Result: The system displays the number of abstracts that meet the export criteria and are to be exported in the lower left-hand corner of the main window.


3. Click **Preview**.

Result: The Export Selection Preview window opens.



- Click **Export**.

Result: The **Save As** window opens.



- Enter a **file name** for the export file in the File name box and click **Save**. In the example shown, the export file is being saved as TestExport.txt.

Result: The system saves the abstracts into a text file and lets you preview a report that you can print.

Report of Export File for Transmit

Wednesday, June 30, 2010

File Name: C:\RegPlus\AbstractPlus3\Exports\TestExport2.txt

Date Export file created: 06/30/2010

Abstractor creating file: NAU

Count of records in file: 18

Selection used to create report: SELECT RepHosp, AccNumHosp, SeqNumHosp, NameX, PSite, MedRecNum, (Mid(DxDate,1,4) + Mid(DxDate,5,2) + Mid(DxDate,7,2)) as DxDate, (Mid(Date1stCont,1,4) + Mid(Date1stCont,5,2) + Mid(Date1stCont,7,2)) as Date1stCont, (Mid(DtCaseComp,1,4) + Mid(DtCaseComp,5,2) + Mid(DtCaseComp,7,2)) as DtCaseComp, (Mid(DateOffLoaded,1,4) + Mid(DateOffLoaded,5,2) + Mid(DateOffLoaded,7,2)) as DateOffLoaded FROM Abstracts ORDER BY RepHosp, AccNumHosp, SeqNumHosp

Rep Hosp	Acc Num Hosp	Seq	Name	Medical Rec Num	Primary Site	Diagnosis Date	Date 1st Contact	Case Complete	Date Off Loaded
000000000			DOE, JOHN						
0000000001	199300268	02	HINKLE, PINKIE	99999999999	C421	20010510	20010510		
0000000001	199700343	02	BURKE, KIRK	99999999999	C099	20010628	20010628		
0000000001	199700343	03	BURKE, KIRK	99999999999	C421	20010628	20010628		
0000000001	200100506	01	DANCER, CANDY	99999999999	C779	20010523	20010523		
0000000001	200101002	02	ATARMS, SARGENT	99999999	C421	20010610	20010614		
0000000001	200101005	01	FLAG, ROYAL	99999999	C446	20010610	20010614		

6. **Close** the report preview and return to the Export Abstracts window.
7. Click **Export Log** to view the log of exported abstracts.

Result: The **Export Log** window opens. Notice that you can enter a date range or enter Select Case ID, and click **Select** to view exports that contain the specified values.

The screenshot shows the "Export Log" application window. At the top, there's a title bar with standard Windows controls. Below it, a section titled "Select Export Date Range: [Date Format: YYYY/MM/DD]" contains a checkbox labeled "Select using Date Range". To its right are two date pickers: "From:" set to "2010/01/01" and "To:" set to "2010/06/18". Below these is a text field for "Selected AbsRefID:". The main area of the window is a large table with columns: "Date", "User ID", "Export Type", "Export Count", and "Abstracts Marked". This table is currently empty. To the right of the main table is a panel titled "Export Type Description:" which lists nine options, each with a checkbox: "1 - Only Un-Exported", "2 - Date Exported R...", "3 - Date Created Re...", "4 - Hospital ID", "5 - Abstractor ID", "6 - Case ID", "7 - Project", "8 - All Abstracts", and "9 - DX Date Range". Below the main table and the export type panel is a row of buttons: "Find" (with a magnifying glass icon), "Find All Exports" (highlighted by a mouse cursor), "Print" (with a printer icon), "Close" (with a red X icon), and a help button (with a question mark icon). Below the buttons is a horizontal scroll bar. At the bottom of the window is another table with columns: "AbsRefID", "Abstractor", "Name", "Rep Hosp", "Accession Num", "Seq Hosp Num", and "Primary Sit...". This table is also empty.

8. Enter an **export date range** or specific **AbsRefID**, and click **Find**, or click **Find All Exports** to view all exports in the log.

Result: Specific fields for exported cases meeting the criteria entered are displayed in the lower window.

The 'Export Log' window displays the following information:

Select Export Date Range: [Date Format: YYYY/MM/DD]
☐ Select using Date Range From: 2010/01/01 To: 2010/06/18
 Selected AbsRefID: []

Export Type Description:

Selected	Description
<input type="checkbox"/>	1 - Only Un-Exported
<input type="checkbox"/>	2 - Date Exported R
<input type="checkbox"/>	3 - Date Created Re
<input type="checkbox"/>	4 - Hospital ID
<input type="checkbox"/>	5 - Abstractor ID
<input type="checkbox"/>	6 - Case ID
<input type="checkbox"/>	7 - Project
<input type="checkbox"/>	8 - All Abstracts
<input type="checkbox"/>	9 - DX Date Range

Exported Case IDs For: [] [Find] [Find All Exports] [Print] [Close] [?]

AbsRefID	Abstractor	Name	Rep Hosp	Accession Num	Seq Hosp Num	Primary
1	NEW	HINKLE, PINKIE	0000000001	199300268	02	C4
2	NEW	BURKE, KIRK	0000000001	199700343	02	C0
3	NEW	BURKE, KIRK	0000000001	199700343	03	C4
4	NEW	DANCER, CANDY	0000000001	200100506	01	C7
5	HL	ATARMS, SARGENT	0000000001	200101002	02	C4
6	NEW	FLAG. ROYAL	0000000001	200101005	01	C4

9. Click **Close** to return to the Export Abstracts window and **Close** to return to the main menu.


Printing Abstracts


You can print any individual abstract that is open, or you can select one or more abstracts from your local database and print them. You can also choose to print the abstracts to a text file instead of sending them directly to a printer.

Printing an Open Abstract

To print an individual abstract that is open, complete these steps:

1. An opened abstract can be printed in 3 ways:
 - a. Click on the **File** menu, and select **Print Current Abstract**.



- b. Click the **Print** icon on the tool bar .
- c. Use the keystroke **Ctrl+P**.

Result: The Abstract Plus **Report Viewer** window opens with a print preview of the abstract to be printed. Note that for the majority of fields, the coded value and the label are printed. Please see page 109 of this manual or click [here](#) to learn more about using the Report Viewer window to view, save and print reports.

Abstract Report
Friday, June 18, 2010

Abstract Reference ID: 18
Name: DOE, JOHN
Reporting Hospital Number: 0000000000
Display Name: APDefault


Label	Value
PATIENT ID	
Name--Last	DOE
Name--First	JOHN
Name--Middle	M
Name--Maiden	
Name--Alias	
Social Security Number	999-99-9999
Addr at DX--No & Street	123 EAST MAIN ST
Addr at DX--Supplementl	
Addr at DX--City	ATLANTA
Addr at DX--State	GA - (Georgia)
Addr at DX--Postal Code	999999999
County at DX	087
Race 1	01 - (White)
Race 2	88 - (No further race documented)
Race 3	88 - (No further race documented)
Race 4	88 - (No further race documented)
Race 5	88 - (No further race documented)
Spanish/Hispanic Origin	0 - (Non-Spanish; non-Hispanic)
DEMOGRAPHIC	
Date of Birth	19610316
Date of Birth Flag	-
Birthplace	000 - (United States, NOS)
Sex	1 - (Male)
Text--Usual Occupation	FARMER
Text--Usual Industry	FARMER/RANCHER
CANCER IDENTIFICATION	
Date of Diagnosis	20070223
Date of Diagnosis Flag	-
Age at Diagnosis	046

2. Click **Print** or **Save** to print or save the abstract in the format of your choice.
3. When you are done viewing/printing the abstract, click **Close**.

Printing a Range of Abstracts


To print a range of abstracts, complete these steps:

1. Printing a range of abstracts can be done in 2 ways:
 - a. Click on the **File** menu, and select **Print Range of Abstracts**.




b. Use the keystroke **Ctrl+R**.

Result: The **Print Abstracts** window opens.



2. Enter the abstract selection criteria for the range of abstracts that you would like to print. You can select the only un-exported Abstracts To Date or All Abstracts in Database options, or you can select abstracts by date previously exported, date created, Facility or Project ID, Abstractor ID or AbsRefID. In the example shown the Select the All Abstracts in Database printing option is checked.
3. Click **Select**.

Result: The system displays the number of abstracts that meet the selected criteria at the bottom of the window.



4. Click **Print Preview**.

Result: The **Report Viewer** window opens with the selected abstracts formatted for printing.

Print Preview

Print Save Close

Abstract Report
Friday, June 18, 2010

Abstract Reference ID: 1
Name: HINKLE, PINKIE
Reporting Hospital Number: 0000000001
Display Name: APDefault

Label	Value
PATIENT ID	
Name--Last	HINKLE
Name--First	PINKIE
Name--Middle	M
Name--Maiden	
Name--Alias	
Social Security Number	111-11-5022
Addr at DX--No & Street	BLANK
Addr at DX--Supplementl	
Addr at DX--City	ANYWHERE
Addr at DX--State	ZZ - (Residence unknown)
Addr at DX--Postal Code	99999
County at DX	999
Race 1	01 - (White)
Race 2	88 - (No further race documented)
Race 3	88 - (No further race documented)
Race 4	88 - (No further race documented)
Race 5	88 - (No further race documented)
Spanish/Hispanic Origin	0 - (Non-Spanish, non-Hispanic)
DEMOGRAPHIC	
Date of Birth	19430416
Date of Birth Flag	-
Birthplace	071 - (Arkansas)
Sex	2 - (Female)
Text--Usual Occupation	RC TEST PROJECT
Text--Usual Industry	UNK
CANCER IDENTIFICATION	
Date of Diagnosis	20010510
Date of Diagnosis Flag	-
Age at Diagnosis	058
Primary Site	C421 - (Bone marrow)
Laterality	0 - (Not a paired site)
Histologic Type ICD-O-3	9823 - (B-cell chronic lymphocytic leukemia/small lymphocytic lymphoma (see also M-9670/3) (C42.1))
Behavior Code ICD-O-3	3 - (Malignant, primary site)
Grade	6 - (B-cell (for lymphomas and leukemias))
Diagnostic Confirmation	1 - (Positive histology)

6/18/2010 11:31:07 AM Page 1 of 19

Print Preview 85%

- When you are done viewing the report, click **Print** to print the report, **Save** to save the report.
- Click **Close** to close the report.
- Close the Print Abstracts window.

Questions---Exporting and Printing Abstracts:


Answer these questions about exporting and printing abstracts in Abstract Plus (the answers are in Appendix A, on page 125):

- How can you avoid exporting duplicate abstracts?
- How can you see all the abstracts you exported?
- How can you print multiple abstracts at the same time?

Chapter 4: Using Abstract Plus Utilities

The Utilities menu is used to access a few supplementary functions included in the program, such as querying your local database of doctors, managing facility and doctor codes, and deleting abstracts.

To access the Utilities menu items, click on the **Utilities** menu item and select the desired sub-option, or use the appropriate keystroke combination for the desired sub-option.


Sub-option (Keystroke)	Toolbar Icon	Function
Doctor Query System (Alt+Q)		Query and search the doctor database; DQS can be accessed whether or not an abstract is opened, or a physician field selected
Manage Facility Codes...		Import (can use Alt+I keystroke) or edit (can use Alt+J keystroke) local facility codes
Manage Doctor Codes...		Import (can use Alt+K keystroke) or edit (can use Alt+L keystroke) local physician codes
Delete Abstract(s) (Alt+P)		Delete selected abstracts
Notepad (Alt+N)		Launch Notepad to view created text files

The Doctor Query System

The Abstract Plus Doctor Query System (DQS) allows you to search your local doctor database. The DQS can be accessed whether or not an abstract is opened, or whether or not you have a physician field selected in the data entry grid.

To open the DQS and search for a doctor, complete these steps:

1. The DQS can be accessed in 2 ways:
 - a. Click on the **Utilities** menu, and select **Doctor Query System**.



- a. Use the keystroke **Alt+Q**.

Result: The Doctor Query System window opens.

Doctor Query System

Search Value(s)

Last Name First Name Doctor ID

Note: Partial name search allowed *Example: 12345678*

Query Results: **No Doctors found.**

Doctor ID	NIP Doctor Code	Name	Address	Specialty
-----------	-----------------	------	---------	-----------

Buttons: Query, Select, Close

- Enter the search criteria of your choice and click **Query**. The DQS can be searched by doctor name or ID.

Result: Doctors meeting the search criteria entered are listed in the lower portion of the window.

Doctor Query System

Search Value(s)

Last Name First Name Doctor ID

Note: Partial name search allowed *Example: 12345678*

Query Results: **13 Doctors found.**

Doctor ID	NIP Doctor Code	Name	Address	Specialty
933		Bedoya, Alfonso	330 Kildare Pl, Glen Burnie, MD 96940	SURGERY
967		Bobula, Anne	Box 18 County Road, Baltimore, MD 99933	SURGERY
10000001		Fawn, Terry	125 Main St, PO Box 222 Northside, GA 33345	Internal Medicine
922		Jones, James	222 Hospital Drive, Washington, DC 97300	PRIMARY HEALTH
20000002		Jones, James	456 Another Street, Atlanta, GA 30301	Pediatrics
945		Kim, Sun	18 Embolism Terrace, Ashtabula, OH 94444	GYNECOLOGY
99999999		NO CODE,	.	
999		Northcutt, Marshall	PO Box 777, Fulton, NY 90001	GENERAL SURGERY
966		Redfern, Belinda	1 Welby Center, El Paso, TX 90020	GYNECOLOGY
980		Requardo, Francesca	One Profit Center, Atlanta, GA 93399	GENERAL SURGERY

Buttons: Query, Select, Close


- When you have finished look-up doctor codes, click **Close** to close the DQS window.

Managing Facility Codes

Abstract Plus version 3.1 allows you to manage codes for facilities. The initial list of facility codes is added to the application by your Abstract Plus Administrator, however, you can add or delete individual facilities to or from the list.


To manage facility codes, complete these steps:

1. You can manage facility codes in 2 ways:
 - a. Click on the **Utilities** menu, and select **Manage Facility Codes**.



- b. Use the keystroke **Alt+J**.

Result: The **Edit Facility Codes** window opens.



2. To delete a facility or facilities from the list, check the **Delete Record** check box for the row of the facility or facilities that you would like to delete.

Delete Record	Facility Number	NPI Facility Code	Facility Name	Contact Name
<input type="checkbox"/>	0000000000		Not Referred	
<input checked="" type="checkbox"/>	0000000800		New Jersey Cancer Registry	
<input checked="" type="checkbox"/>	0000001100		New York Cancer Registry	
<input type="checkbox"/>	0000001700		Delaware Cancer Registry	
<input type="checkbox"/>	0000002100		Maryland Cancer Registry	
<input type="checkbox"/>	0000002400		West Virginia Cancer Registry	
<input type="checkbox"/>	0000003500		Florida cancer Registry	
<input type="checkbox"/>	0000004100		Michigan Cancer Registry	
<input type="checkbox"/>	0000004300		Ohio Cancer Registry	
<input type="checkbox"/>	0006210010		NY Albany Albany Med Cent	
<input type="checkbox"/>	0006210040		NY Albany Child's Hosp	
<input type="checkbox"/>	0006210050		NY Albany Mem Hosp	
<input type="checkbox"/>	0006210070		NY Albany St Peter's Hosp	

Buttons: Delete, Add, Save, Close

- Click **Delete**.

Result: The facility or facilities selected for deletion are deleted from the list.

- To add a facility or facilities to the list, click **Add**.

Delete Record	Facility Number	NPI Facility Code	Facility Name	Contact Name
<input type="checkbox"/>	0000000000		Not Referred	
<input checked="" type="checkbox"/>	0000001100		New York Cancer Registry	
<input type="checkbox"/>	0000001700		Delaware Cancer Registry	
<input type="checkbox"/>	0000002100		Maryland Cancer Registry	
<input type="checkbox"/>	0000002400		West Virginia Cancer Registry	
<input type="checkbox"/>	0000003500		Florida cancer Registry	
<input type="checkbox"/>	0000004100		Michigan Cancer Registry	
<input type="checkbox"/>	0000004300		Ohio Cancer Registry	
<input type="checkbox"/>	0006210010		NY Albany Albany Med Cent	
<input type="checkbox"/>	0006210040		NY Albany Child's Hosp	
<input type="checkbox"/>	0006210050		NY Albany Mem Hosp	
<input type="checkbox"/>	0006210070		NY Albany St Peter's Hosp	
<input type="checkbox"/>	0006210075		NY Albany Stratton VA Med Cent	

Buttons: Delete, Add, Save, Close

Result: The application directs you to a new row into which you can enter information for the facility such as the facility name and number and add the facility to the list.

Delete Record	Facility Number	NPI Facility Code	Facility Name	Contact Name
<input type="checkbox"/>	0010000005		PA Pittsburgh Jefferson Rad Onc Ctr	
<input type="checkbox"/>	0010000063		PA Erie The Regional Cancer Center	
<input type="checkbox"/>	0010000140		PA Harrisburg Greater Hbg Cancer Ctr	
<input type="checkbox"/>	0010000141		PA Lebanon Lebanon Valley Cancer Center	
<input type="checkbox"/>	0099999999		Unknown	
<input type="checkbox"/>	1111111111		Test Hospital	
<input type="checkbox"/>	2345678901		Second Hospital	Jean Harris
<input type="checkbox"/>	8989898989		Third Hospital	Tom Jones
<input type="checkbox"/>				

Buttons: ? Delete Add Save Close

5. At a minimum, enter the facility name and number, and then click **Save**.

Delete Record	Facility Number	NPI Facility Code	Facility Name	Contact Name
<input type="checkbox"/>	0010000005		PA Pittsburgh Jefferson Rad Onc Ctr	
<input type="checkbox"/>	0010000063		PA Erie The Regional Cancer Center	
<input type="checkbox"/>	0010000140		PA Harrisburg Greater Hbg Cancer Ctr	
<input type="checkbox"/>	0010000141		PA Lebanon Lebanon Valley Cancer Center	
<input type="checkbox"/>	0099999999		Unknown	
<input type="checkbox"/>	1111111111		Test Hospital	
<input type="checkbox"/>	2345678901		Second Hospital	Jean Harris
<input type="checkbox"/>	8989898989		Third Hospital	Tom Jones
<input type="checkbox"/>	2222222222		Test Facility 2	
<input type="checkbox"/>				

Buttons: ? Delete Add Save Close

Result: The facility is added to the list.


6. When you are one editing facility codes, click **Close**.

Managing Doctor Codes

Abstract Plus version 3.1 also allows you to manage codes for doctors. The initial list of doctor codes is added to the application by your Abstract Plus Administrator, however, you can add or delete individual doctors to or from the list.


To manage doctor codes, complete these steps:

1. You can manage doctor codes in 2 ways:
 - a. Click on the **Utilities** menu, and select **Manage Doctor Codes**.




b. Use the keystroke **Alt+L**.

Result: The **Edit Doctor Codes** window opens.




- To delete a doctor or doctors from the list, check the **Delete Record** check box for the row of the doctor or doctors that you would like to delete, and click **Delete**.



Result: The doctor or doctors selected for deletion are deleted from the list.

- To add a doctor to the list, click **Add**.




Delete Record	DocID	NPI Doctor Code	Last Name	First Name	Address 1	Address 2
<input checked="" type="checkbox"/>	967		Bobula	Anne	Box 18 County Road	
<input type="checkbox"/>	10000001		Fawn	Terry	125 Main St	PO Box 222
<input type="checkbox"/>	922		Jones	James	222 Hospital Drive	
<input type="checkbox"/>	20000002		Jones	James	456 Another Street	
<input type="checkbox"/>	945		Kim	Sun	18 Embolism Terrace	
<input type="checkbox"/>	99999999		NO CODE			
<input type="checkbox"/>	999		Northcutt	Marshall	PO Box 777	
<input type="checkbox"/>	966		Redfern	Belinda	1 Welby Center	
<input type="checkbox"/>	980		Regaldo	Francesca	One Profit Center	

Buttons: ? Delete Add Save Close

Result: The application directs you to a new row into which you can enter information for the doctor such as the doctor name and number and add the doctor to the list.

- At a minimum, enter the doctor name and number, and then click **Save**.


Result: The doctor is added to the list.



Delete Record	DocID	NPI Doctor Code	Last Name	First Name	Address 1	Address 2
<input type="checkbox"/>	20000002		Jones	James	456 Another Street	
<input type="checkbox"/>	945		Kim	Sun	18 Embolism Terrace	
<input type="checkbox"/>	99999999		NO CODE			
<input type="checkbox"/>	999		Northcutt	Marshall	PO Box 777	
<input type="checkbox"/>	966		Redfern	Belinda	1 Welby Center	
<input type="checkbox"/>	980		Regaldo	Francesca	One Profit Center	
<input type="checkbox"/>	900		Smith	John	3 Elm Street	
<input type="checkbox"/>	30000003		Test	Castle	2227 Broad Ave	
<input type="checkbox"/>	990		Yuengling	Victor	1088 Altruist Highway	
<input type="checkbox"/>	9997		Test	Doctor	123 East Main Street	

Buttons: ? Delete Add Save Close

- When you are done editing doctor codes, click **Close**.




Deleting Abstracts

Abstract Plus version 3.1 allows you to delete abstracts from the abstract database. This feature should be used with caution, as abstracts are permanently deleted from the database.

To delete an abstract, complete these steps:

1. Abstracts can be deleted in 2 ways:
 - a. Click on the **Utilities** menu, and select **Delete Abstract(s)**.



- b. Use the keystroke **Alt+P**.

Result: The **Delete Abstracts** window opens.

Delete Abstracts

Query Items [Multiple item selection allowed]

☒ All ☐ Complete Abstracts Only ☐ Incomplete Abstracts Only

Item Value

Last Name: First Name: Abstracted By:

Note: Partial name search allowed *Example: DOE*

Abstract ID: To: Date Exported: Reporting Hospital:

Example: 1234567890 *Example: 2008/12/15 (YYYY/MM/DD)* *Example: 12345678901*

☐ Select/Deselect All

Buttons: Query, Delete, Close

Query Results: Ready ...

Delete Case	Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp
-------------	------	-------------	---------------	-------------------	-----	--------------	--------------

- Abstracts to be deleted can be searched for via various search criteria: patient name, Abstractor's initials, Abstract Reference ID, Reporting Facility, and export date.
- Enter your search criteria, and click **Query**. In the example shown, the abstract for the patient named John Doe is being searched for and deleted, so a D is entered in the patient Last Name box.

Result: Abstracts that match the specified search criteria are displayed in the lower portion of the window. Note that all abstracts listed are selected for deletion. In the example shown, all patient abstracts with the last name beginning with D are displayed and selected for deletion.

Delete Abstracts

Query Items [Multiple item selection allowed]

☒ All ☐ Complete Abstracts Only ☐ Incomplete Abstracts Only

Item Value

Last Name: First Name: Abstracted By:

Note: Partial name search allowed *Example: DOE*

Abstract ID: To: Date Exported: Reporting Hospital:

Example: 1234567890 *Example: 2008/12/15 (YYYY/MM/DD)* *Example: 12345678901*

☒ Select/Deselect All

Buttons: Query, Delete, Close

Query Results: 7 Abstracts found.

Delete Case	Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp
<input checked="" type="checkbox"/>	DANCER, CANDY	4	19200419	111-11-5015	Female	200100506	01
<input checked="" type="checkbox"/>	DAYS, HAPPY	12	19351022	111-11-5016	Female	200101067	02
<input checked="" type="checkbox"/>	DAYS, HAPPY	11	19351022	111-11-5016	Female	200101067	01
<input checked="" type="checkbox"/>	DOE, JOHN	19	19610316	999-99-9999	Male		
<input checked="" type="checkbox"/>	DOE, JOHN	18	19610316	999-99-9999	Male		00
<input checked="" type="checkbox"/>	DRIVER, CABBY	14	19330318	111-11-1078	Male	200101078	04
<input checked="" type="checkbox"/>	DRIVER, CABBY	13	19330318	111-11-1078	Male	200101078	03

- To select an individual abstract for deletion from the displayed list, click **Select/Deselect All**.

Result: All abstracts in the window are deselected.

- Select individual abstracts for deletion by checking the **Delete Case** check box for the abstract(s), and clicking **Delete**.

Delete Abstracts

Query Items [Multiple item selection allowed]

☒ All ☐ Complete Abstracts Only ☐ Incomplete Abstracts Only

Item Value

Last Name: First Name: Abstracted By:

Note: Partial name search allowed Example: DOE

Abstract ID: To: Date Exported: Reporting Hospital:

Example: 1234567890 Example: 2008/12/15 (YYYY/MM/DD) Example: 12345678901

☐ Select/Deselect All

Query Results: 7 Abstracts found.

Delete Case	Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp
<input type="checkbox"/>	DANCER, CANDY	4	19200419	111-11-5015	Female	200100506	01
<input type="checkbox"/>	DAYS, HAPPY	12	19351022	111-11-5016	Female	200101067	02
<input type="checkbox"/>	DAYS, HAPPY	11	19351022	111-11-5016	Female	200101067	01
<input checked="" type="checkbox"/>	DOE, JOHN	19	19610316	999-99-9999	Male		
<input type="checkbox"/>	DOE, JOHN	18	19610316	999-99-9999	Male		00
<input type="checkbox"/>	DRIVER, CABB	14	19330318	111-11-1078	Male	200101078	04
<input type="checkbox"/>	DRIVER, CABB	13	19330318	111-11-1078	Male	200101078	03

Result: The system verifies that you would like to delete the selected abstract(s), and creates a backup database.

Delete Abstract(s)

Are you sure you want to delete the selected Abstracts?

A copy of your Database will be created with file format (Absplus_Deletion_yyyyMMdd_HHmss.zip).

Yes No

- Click **Yes**.

Result: The system lets you know that the abstract has been deleted.

Delete Abstract(s)

Selected Abstracts have been deleted.

OK

- Click **OK**.

Result: You are returned to the Delete Abstracts window, where the abstract(s) has been deleted from the list.

Delete Case	Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp
<input checked="" type="checkbox"/>	DANCER, CANDY	4	19200419	111-11-5015	Female	200100506	01
<input checked="" type="checkbox"/>	DAYS, HAPPY	12	19351022	111-11-5016	Female	200101067	02
<input checked="" type="checkbox"/>	DAYS, HAPPY	11	19351022	111-11-5016	Female	200101067	01
<input checked="" type="checkbox"/>	DOE, JOHN	18	19610316	999-99-9999	Male		00
<input checked="" type="checkbox"/>	DRIVER, CABBY	14	19330318	111-11-1078	Male	200101078	04
<input checked="" type="checkbox"/>	DRIVER, CABBY	13	19330318	111-11-1078	Male	200101078	03


8. When you have finished deleting abstracts click **Close** to close the Delete Abstracts window.

Using the Notepad Function

The Notepad program is integrated into Abstract Plus under the Utilities menu. Notepad allows you to view the contents of a file using the Notepad program without having to navigate away from Abstract Plus.


To use the Notepad feature, complete these steps:

1. The Notepad feature can be opened in 2 ways:
 - a. Click on the **Utilities** menu, and select **Notepad**.



- b. Use the keystroke **Alt+N**.


Result: Notepad opens.




2. Click **File** on the Notepad menu and select **Open**.

Result: An Open file windows dialog box opens.

3. Navigate to the folder and text file that you would like to open, and click **Open**.



Result: The selected file opens in Notepad.



4. When you are done viewing the contents of the file, **close** Notepad.

Questions---Using Abstract Plus Utilities

Answer these questions about exporting and printing abstracts in Abstract Plus (the answers are in Appendix A, on page 126):

1. How can you query and search the doctor database in your Abstract Plus application?
2. How can you delete abstracts?
3. What is the main benefit of the Notepad integration feature?

Chapter 5: Running Reports

Learning Objectives

In this chapter, you will learn to:

- Identify the different reports you can run using Abstract Plus
- Open an Abstract Plus report, and use the various Report Viewer window options to maximize your report viewing experience
- Become familiar with the all of the different file formats in which reports can be saved

Overview

This chapter covers general information about Abstract Plus reports. It includes a description of all abstract reports offered by the application, how to open the reports, how to use the Report Viewer window, and how to print and save reports.

Available Reports

The abstracting features of Abstract Plus v3 are supported by a few standard, easy-to-understand reports that can help facilitate and track abstracting activities. The reports included can be upon request using the Reports menu item. The available abstract reports are described in the table below.

Report	Description
Accession Register	Includes a line listing of all abstracts in the database, sorted by reporting hospital and accession number
Patient Index	Includes a line listing of all abstracts in the database, sorted alphabetically by name
Selected Cases	Line listing report which includes abstracts based on user-specified criteria
Status Report (Count of Cases) Summary...	Includes the total number of complete and incomplete abstracts by export status within a user-specified date range
Completion Status of Abstracts by month	Includes abstract completion status by year and month of Date of Adm/1 st Contact within a user-specified date range


Opening Reports

To open any of the various abstract reports, complete these steps:

1. All abstract reports can be opened in 2 ways:
 - a. Click on the **Reports** menu, and select the report of interest.
 - b. Use the appropriate **keystroke** designated on the Reports menu to open the report of interest. For example, to open the Accession Register Report, use the keystroke Alt+Shift+A.

Result: The report of interest opens in the Abstract Plus **Report Viewer** window.

Viewing Reports – The Report Viewer Window















The Abstract Plus Report Viewer window is divided into 2 main sections: a window in which to view reports on the left, and a pane for viewing report thumbnails on the right. When you left-click and hold your mouse on the vertical divider bar in the center of the window, a splitter appears which you can drag to the left or right to resize the view report and thumbnails views.

The Main Toolbar




The Report Viewer Main Toolbar includes icons to print and save the report being viewed, as well as modify the current view of the report. The following table describes the function of each of the icons on the Main Toolbar, as well as listing keystroke equivalents where available for each function.



Icon	Keystroke	Function
	Ctrl+P	Print the report being viewed; opens the print dialog




		window
	Ctrl+O	Save the report being viewed to various file formats
	Ctrl+Shift+S	Change report page setup: size, orientation and margins
	Ctrl+B	Show/hide the tree of bookmarks of the report being viewed; bookmarks are displayed by default---if there are no bookmarks in the report the Report Viewer will automatically hide the tree of bookmarks
	Ctrl+T	Show/hide the thumbnail view of reports in the pane on the right
	Ctrl+F	Search; Open the Search Toolbar
	F2	View the report in full screen mode
	F3	View the report one page at-a-time
	F4	View the report 2 pages at-a-time
	No keystroke	View multiple pages of the report at-a-time; specify 1x2, 2x3, etc.
	F5	Control page width; when clicked report will enlarge to the page width of Report Viewer window
	No keystroke	Close a report

Page Navigation Controls





Report page navigation controls are located in the lower left-hand corner of the Report Viewer window and help you navigate through the various pages of the report being viewed. The following table describes the function of each of the page navigation controls.

Control	Function
	View the first page of the report being viewed
	View the previous page of the report being viewed






	Lists the page number of the current page of the report being viewed
	View the next page of the report being viewed
	View the last page of the report being viewed

The Search Toolbar

The search panel is used to search for specific text within the report. To access feature, click the binocular icon  on the main toolbar.



When opened, the Search Toolbar is located in the lower left-hand corner of the Report Viewer window directly over the Page Navigation controls. The following table describes the function of each of the Search toolbar icons.





Icon	Function
	Closes the Search Toolbar
	Enter the term being searched for in the Find What box
	When clicked, searches the report and finds the next occurrence of the search term entered in the Find What box
	When checked, the search is repeated with case of the search term considered
	When checked, the search is repeated with only whole words of the search term considered

Page View Controls



Report page view controls are located in the lower right-hand corner of the Report Viewer window, and include icons to help you control how many pages of the report to view, as well as to zoom in or out on the current report being viewed. The following table describes the function of each of the page view controls.


Control	Keystroke	Function
---------	-----------	----------

	Shift+F2	Single Page: View the report one page at-a-time
	Shift+F3	Continuous: View the report with all pages displayed continuously
	Shift+F4	Multiple Pages: based on the selected zoom, all possible pages are displayed to fill the viewer window
	No keystroke	Selected Zoom: View the report at the percent size specified

Saving Reports

In order to facilitate the utilization of the information included in the Abstract Plus reports, Abstract Plus offers an extensive number of file formats in which the reports can be saved. You can save the reports in different file formats in order to further analyze or format the data included differently, or you can save the report as an image file to be placed in documents and presentations.


You can save your audit report in any of the file formats listed under the Save As icon on the Main Toolbar of the Report Viewer:



Accession Register Report

To run the Accession Register report, complete these steps:

1. The Accession Register report can be opened in 2 ways:
 - a. Click on the **Reports** menu, and select **Accession Register**.



b. Use the keystroke **Alt+Shift+A**.

Result: The **Accession Register** report opens in the Report Viewer window. Notice that the accession numbers are displayed in ascending order and grouped by the reporting hospital.

Accession Register														
Monday, June 07, 2010														
Rep Hosp	Acc Num Hosp	Seq	Name	Birth Date	Social Security	Sex	Diagnosis Date	Primary Site	Lateral	Hist/Beh ICD03	Medical Rec Num	Last Contact	Abs Ref ID	Vital Status
0000000001														
0000000001	199300268	02	HINKLE, PINKIE	1943/04/16	111-11-5022	Female	2001/05/10	C421	0	9823 / 3	9999999999	2002/09/11	1	Dead
0000000001	199700343	02	BURKE, KIRK	1924/09/09	111-11-5010	Male	2001/06/28	C099	2	9670 / 3	9999999999	2002/11/04	2	Dead
0000000001	199700343	03	BURKE, KIRK	1924/09/09	111-11-5010	Male	2001/06/28	C421	0	9670 / 3	9999999999	2002/11/04	3	Dead
0000000001	200100506	01	DANCER, CANDY	1920/04/19	111-11-5015	Female	2001/05/23	C779	0	9680 / 3	9999999999	2002/10/17	4	Dead
0000000001	200101002	02	ATARMS, SARGENT	1905/03/02	111-11-1001	Male	2001/06/10	C421	0	9940 / 3	9999999	2002/01/31	5	Dead

The Accession Register report includes these fields:

Columns	Description
Rep Hosp	COC code for the reporting facility of the abstract
Acc Num Hosp	Hospital Accession Number for the tumor
Seq	Hospital Sequence Number for the tumor
Name	Name of Patient (Last, First)
Birth Date	Patient's date of birth
Social Security	Patient's social security number
Sex	Patient's sex
Diagnosis Date	Diagnosis date of the tumor
Primary Site	ICD-O-3 topography code describing the location of the tumor
Lateral	Laterality code for the laterality of the tumor


Columns	Description
Hist/Beh ICDO3	ICD-O-3 histology and behavior codes for the tumor
Medical Rec Num	Patient's medical record number
Last Contact	Date of Last Contact with the patient
Abs Ref ID	A unique, system-generated number identifying the abstract
Vital Status	Patient's vital status

- When you are done viewing the report, click **Print** to print the report, **Save** to save the report, or **Close** to close the report.

Patient Index Report

To run the Patient Index report, complete these steps:

- The Patient Index report can be opened in 2 ways:
 - Click on the **Reports** menu, and select **Patient Index**.



- Use the keystroke **Alt+Shift+P**.

Result: The **Patient Index** report opens in the Report Viewer window. Notice that the abstracts are displayed in alphabetic order by the name.

Patient Index														
Monday, June 07, 2010														
Rep Hosp	Acc Num Hosp	Seq	Name	Birth Date	Social Security	Sex	Diagnosis Date	Primary Site	Lateral	Hist/Beh ICDO3	Medical Rec Num	Last Contact	Abs Ref ID	Vital Status
0000000001	200101002	02	ATARMS, SARGENT	1905/03/02	111-11-1001	Male	2001/06/10	C421	0	9940 / 3	9999999	2002/01/31	5	Dead
0000000001	200101006	02	BRIDE, PRINCESS	1930/02/23	111-11-5009	Male	2001/06/10	C421	0	9760 / 3	9999999	2002/01/31	8	Alive
0000000001	200101006	03	BRIDE, PRINCESS	1930/02/23	111-11-5009	Male	2001/08/23	C779	0	9680 / 3	9999999	2002/06/05	9	Alive
0000000001	199700343	02	BURKE, KIRK	1924/09/09	111-11-5010	Male	2001/06/28	C099	2	9670 / 3	9999999999	2002/11/04	2	Dead
0000000001	199700343	03	BURKE, KIRK	1924/09/09	111-11-5010	Male	2001/06/28	C421	0	9670 / 3	9999999999	2002/11/04	3	Dead
0000000001	200100506	01	DANCER, CANDY	1930/04/18	111-11-5045	Female	2001/06/23	C779	0	9680 / 3	9999999999	2002/11/04	4	Dead

The Patient Index report includes these fields:


Columns	Description
Rep Hosp	COC code for the reporting facility of the abstract
Acc Num Hosp	Hospital Accession Number for the tumor
Seq	Hospital Sequence Number for the tumor
Name	Name of Patient (Last, First)
Birth Date	Patient's date of birth
Social Security	Patient's social security number
Sex	Patient's sex
Diagnosis Date	Diagnosis date of the tumor
Primary Site	ICD-O-3 topography code describing the location of the tumor
Lateral	Laterality code for the laterality of the tumor
Hist/Beh ICDO3	ICD-O-3 histology and behavior codes for the tumor
Medical Rec Num	Patient's medical record number
Last Contact	Date of Last Contact with the patient
Abs Ref ID	A unique, system-generated number identifying the abstract
Vital Status	Patient's vital status

2. When you are done viewing the report, click **Print** to print the report, **Save** to save the report, or **Close** to close the report.

Selected Cases Report

To run the Selected Cases report, complete these steps:

1. The Selected Cases report can be opened in 2 ways:
 - a. Click on the **Reports** menu, and select **Selected Cases**.



- b. Use the keystroke **Alt+Shift+S**.

Result: The system displays a window to enter report criteria.

Selected Cases Report

Query Items [Multiple item selection allowed]

☒ All ☐ Complete Abstracts Only ☐ Incomplete Abstracts Only

Item Value

Last Name First Name Medical Record # Social Security #

Note: Partial name search allowed *Example: 12345678901* *Example: 123456789*

Abstract ID Reporting Hospital Date of Birth

Example: 1234567890 *Example: 12345678901* *Example: 2008/12/15 (YYYY/MM/DD)*

☐ Select/Deselect All

Query Results: No Records Found

Report Case	Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp
-------------	------	-------------	---------------	-------------------	-----	--------------	--------------

2. Enter report **selection criteria**, and click **Query**. Available report selection criteria include patient last name, first name, medical record number, social security number, date of birth, Abstract Reference ID, reporting hospital, and abstract completion status. In the example shown, the report criterion of Abstract Reference ID numbers 1 to 5 is being specified.

Result: The system displays the cases that meet the entered criteria in the query result window.

Selected Cases Report

Query Items [Multiple item selection allowed]

☒ All ☐ Complete Abstracts Only ☐ Incomplete Abstracts Only

Item Value

Last Name: First Name: Medical Record #: Social Security #:

Note: Partial name search allowed Example: 12345678901 Example: 123456789

Abstract ID: To: Reporting Hospital: Date of Birth:

Example: 1234567890 Example: 12345678901 Example: 2008/12/15 (YYYY/MM/DD)

☒ Select/Deselect All

Query Results: 5 Abstracts found.

Report Case	Name	Abstract ID	Date of Birth	Social Security #	Sex	Acc Num Hosp	Seq Num Hosp
<input checked="" type="checkbox"/>	ATARMS, SARGENT	5	1905/03/02	111-11-1001	Male	200101002	02
<input checked="" type="checkbox"/>	BURKE, KIRK	3	1924/09/09	111-11-5010	Male	199700343	03
<input checked="" type="checkbox"/>	BURKE, KIRK	2	1924/09/09	111-11-5010	Male	199700343	02
<input checked="" type="checkbox"/>	DANCER, CANDY	4	1920/04/19	111-11-5015	Female	200100506	01
<input checked="" type="checkbox"/>	HINKLE, PINKIE	1	1943/04/16	111-11-5022	Female	199300268	02



Tip

You can further restrict the cases included in the report by un-checking the **Report Case** checkbox in the left-most column of the query window for those cases you would like to exclude from the report.

3. Click **Report**.

Result: The **Selected Cases report** opens in the Report Viewer window. Notice that it displays only the cases that fall within the specified range. The system also records and displays the SQL statement used to create the report at the top of the report.

Selected Cases
Monday, June 07, 2010

Selection used to create report: `SELECT NameX, ABSTRACTS.AbsRefID, BirthDate, (Mid(SocSec,1,3) + '-' + Mid(SocSec,4,2) + '-' + Mid(SocSec,6,4)) as SocSec, Switch (Sex = '1','Male',Sex='2','Female',Sex='3','Other (hermaphrodite)',Sex='4','Transsexual',Sex='9','Not Stated/Unknown') AS Sex, AccNumHosp, SeqNumHosp, Date1stCont, DxDate, PSite, RepHosp, Lateral, (HistTypeICD03 + '/' + BehaviorICD03) AS HistTypeICD03, MedRecNum, DateLastContact, Switch(VitalStatus = '1','Alive',VitalStatus = '0','Dead',VitalStatus = '',) AS VitalStatus FROM ABSTRACTS WHERE ABSTRACTS.AbsRefID between 1 AND 5 ORDER BY NAMEX`

Rep Hosp	Acc Num Hosp	Seq	Name	Birth Date	Social Security	Sex	Diagnosis Date	Date 1st Contact	Primary Site	Lat	Hist/Beh ICD03	Medical Rec Num	Last Contact	Abs RefID	Vital Status
0000000001	200101002	02	ATARMS, SARGENT	19050302	111-11-1001	Male	20010610	20010614	C421	0	9940 / 3	9999999	20020131	5	Dead
0000000001	199700343	03	BURKE, KIRK	19240909	111-11-5010	Male	20010628	20010628	C421	0	9670 / 3	99999999999	20021104	3	Dead
0000000001	199700343	02	BURKE, KIRK	19240909	111-11-5010	Male	20010628	20010628	C099	2	9670 / 3	99999999999	20021104	2	Dead
0000000001	200100506	01	DANCER, CANDY	19200419	111-11-5015	Female	20010523	20010523	C779	0	9680 / 3	99999999999	20021017	4	Dead
0000000001	199300268	02	HINKLE, PINKIE	19430416	111-11-5022	Female	20010510	20010510	C421	0	9823 / 3	99999999999	20020911	1	Dead

The Selected Cases report includes these fields:


Columns	Description
Rep Hosp	COC code for the reporting facility of the abstract
Acc Num Hosp	Hospital Accession Number for the tumor
Seq	Hospital Sequence Number for the tumor
Name	Name of Patient (Last, First)
Birth Date	Patient's date of birth
Social Security	Patient's social security number
Sex	Patient's sex
Diagnosis Date	Diagnosis date of the tumor
Date 1 st Contact	Date of first contact with the patient
Primary Site	ICD-O-3 topography code describing the location of the tumor
Lateral	Laterality code for the laterality of the tumor
Hist/Beh ICDO3	ICD-O-3 histology and behavior codes for the tumor
Medical Rec Num	Patient's medical record number
Last Contact	Date of Last Contact with the patient
AbsRefID	A unique, system-generated number identifying the abstract
Vital Status	Patient's vital status

4. When you are done viewing the report, click **Print** to print the report, **Save** to save the report, or **Close** to close the report.

Status Report (Count of Cases) Summary


To run the Status Report (Count of Cases) Summary report, complete these steps:

1. Status Report (Count of Cases) Summary report can be opened in 2 ways:
 - a. Click on the **Reports** menu, and select **Status report (Count of Cases) Summary**.



- b. Use the keystroke **Alt+Shift+T**.

Result: The system displays a window where you enter a date range, or select all cases in the database for the report.



2. Enter the desired **date range**, or check the Select All Cases in Database check box to include all abstracts in the database, and click **Preview**. In the example shown all abstracts in the database are being included in the report.

Result: The **Status Report (Count of Cases) Summary report** opens in the Report Viewer window displays the summary information for the abstracts.

Status Report (Count of Cases) Summary (All Cases in Database)			
	Exported	Unexported	Total
Number Complete	0	0	0
Number Incomplete	0	17	17
Grand Total	0	17	17


The Status Report (Count of Cases) Summary report includes the number of incomplete and complete abstracts, stratified by abstract export status.

3. When you are done viewing the report, click **Print** to print the report, **Save** to save the report, or **Close** to close the report.

Completion Status of Abstracts by Month


To run the Completion Status of Abstracts by Month report, complete these steps:

1. The Completion Status of Abstracts by Month report can be opened in 2 ways:
 - a. Click on the **Reports** menu, and select **Completion Status of Abstracts by Month**.



- b. Use the keystroke **Alt+Shift+C**.

Result: The system displays a window where you enter a date range, or select all cases in the database for the report.



2. Enter the desired **date range**, or check the Select All Cases in Database check box to include all abstracts in the database, and click **Preview**. In the example shown all abstracts in the database are being included in the report.

Result: The **Completion Status of Abstracts by Month** report opens in the Report Viewer window displays the summary information for the abstracts.

Completion Status of Abstracts by Month				
(All Cases in Database)				
Monday, June 07, 2010				
Year	Month	Completed	Incomplete	Total
2007 AND earlier				
		0	17	17
Total		0	17	17
Grand Total		0	17	17

The Completion Status of Abstracts by Month report includes the number of incomplete and complete abstracts, stratified by diagnosis month or year, depending on the range of dates specified.


- When you are done viewing the report, click **Print** to print the report, **Save** to save the report, or **Close** to close the report.

Running Custom Reports

Abstract Plus version 3.1 offers an all-new custom reports feature. This feature is being implemented in phases. In the first release (version 3.1), custom reports that have been generated by the Abstract Plus Development team at CDC can be opened by Abstract Plus users. The various other custom report features, such as being able to generate your own report or modify an existing one, will be implemented in future versions of Abstract Plus.


To open and view a custom report, complete these steps:

- The custom report can be opened in 2 ways:
 - Click on the **Reports** menu, and select **Run Custom Reports**.



- Use the keystroke **Alt+Shift+R**.

Result: The **Select the Report you would like to Run** window opens.



2. Select the custom report you would like to open and click **Open**.

Result: The **selected report opens** in the Abstract Plus Report viewer window.

3. When you are done viewing the report, click **Print** to print the report, **Save** to save the report, or **Close** to close the report.

Questions

Answer these questions about Abstract Plus reports (the answers are in Appendix A, on page 126):

1. What is the name of the window where you view Abstract Plus abstract reports?
2. How do you print an abstract report?
3. How do you save a report?

Appendix A: Answers to Chapter Questions

Chapter 2: Abstract Plus General User Basics

These are the answers to the questions (page 40) about the basics for Abstract Plus general users:

1. The first things you need to do upon initial login into Abstract Plus are: 1) create a user account, 2) log in, 3) change your password, and then 4) select and answer security challenge questions.
2. Your answers to the security challenge questions that you select will be used to validate your identity if you forget your Abstract Plus password---if you forget your password, Abstract Plus will ask you for the answers you provided to these security questions, and then allow you to reset your password if the questions are answered correctly.
3. It is important to have your own user ID and password for Abstract Plus for security purposes; **never** share your account information with others. In addition, when logged in using your own user ID and password, your initials will be displayed on the main Abstract Plus window to indicate when you are logged in to the application and will be automatically recorded in the Abstracted By field when abstracting abstracts or conducting audits. This information is recorded in order to associate abstractors with the abstracts they have generated, and auditors with the audits that they have conducted.
4. When logging off Abstract Plus, you can use the Backup option to save your work to a secure location.

Chapter 3: Working With Abstracts

Creating Abstracts:

Here are the answers to the questions on page 54 about creating an abstract.

1. You can start working with abstracts by importing, creating, or copying abstracts.
2. The Abstract Plus Abstracting window is divided into 2 main sections: a data entry grid for coded values on the left, and a data entry grid for text fields on the right.

Abstracting and Saving Information:

Here are the answers to the questions on page 71 about abstracting and saving information.

1. Each text field has a progress bar beneath it that indicates what percentage of the text field has already been filled so that you can properly prioritize entered information.
2. The SEER Hematopoietics Database can be opened from the Histology Lookup window (Click on the magnifying glass icon to the left of the Histologic Type ICD-O-3 data item or press F4); from the Help menu, or by clicking the Hematopoietic Database icon on the tool bar.
3. You can save an abstract in 3 ways: 1) Click on the File menu, and select Save Abstract; 2) Click the Save icon on the tool bar; 3) Use the keystroke Ctrl+S.
4. Each abstract is assigned an Abstract Reference ID (or AbsRefID), which is a unique, system-generated number identifying the abstract. The AbsRefID is generated upon first save of the abstract, and displayed in the upper left-hand corner of the data entry area of abstracting window, as well as in the title bar of the application along with the patient name.

5. Color-coded edits error count and abstract completion status information is clearly displayed to the user at the bottom of the abstracting window, and edits error count is displayed in red if any errors exist (changes from red to green upon completion of the abstract).
6. When edits are run, the Edit Set Results window automatically opens and displays the full information for any edit errors that exist, or lets you know that there are no errors. The Edit Set Results window lists the total number of edit errors for the abstract, missing critical (required) fields, and the edit errors. For each edit error, the failed edit name, error message, and fields involved in the edit are listed. When greater detail regarding the edit is required to resolve the edit error, you can click on the Edit Description link in the Edit Set Results window, which expands to display the edit description.
7. If SSF25 is required for the primary site and histology entered, you will first be directed to enter SSF25. Once you have entered SSF25, automatic defaulting and disabling of SSFs **that are not defined for the entered schema** will occur. The automatic defaulting will delineate what SSFs are not defined for the identified schema, and the running of edits will delineate what defined SSFs are required.

Completing, Finding, and Copying Abstracts:

Here are the answers to the questions on page 83 about completing, finding, and copying abstracts:

1. You must resolve all edit errors and fill in all critical (required) fields in order to complete an abstract. Abstract Plus displays helpful, color-coded edits error count and abstract completion status information at the bottom of the abstracting window. Once you have resolved all edit errors and completed all missing critical fields, upon the next save of the abstract, the status information changes from red to green upon completion of the abstract.
2. You can locate a saved abstract by selecting the Open/Find Abstract option under the File menu or clicking the Open/Find Abstract icon on the tool bar.
3. Yes, you can change the information contained in an existing abstract. Access the abstract, update the information, and click the Save button on the tool bar.
4. Open the existing abstract for the patient and use the Copy Abstract option under the File menu to copy the demographic information in the abstract to a new abstract. Abstract information on the new tumor as needed.
5. Yes. Since the overwhelming majority of Abstract Plus users did not utilize the Projects feature of Abstract Plus version 2.0, although the use of Projects is still available, it is no longer required. In Abstract Plus version 3.1, Projects are optional True/False application-specific fields that can be added to any display type (in the same manner as any standard NAACCR data item). As a result, unless your central registry intentionally requires a Project field, abstracts are no longer required to be assigned to a project.

Exporting and Printing Abstracts:

Here are the answers to the questions on page 94 about exporting and printing abstracts.

1. You can avoid exporting duplicate abstracts by selecting the following check boxes on the Export Abstracts window: Mark abstracts as exported and Export only un-exported Abstracts to date.

2. You can see all the abstracts you have exported by clicking the Export Log button on the Export Abstracts window for a detailed export history.
3. You can print multiple abstracts at the same time by selecting Print Range of Abstracts from the File menu.

Chapter 4: Using Abstract Plus Utilities

Here are the answers to the questions on page 107 about Abstract Plus utilities.

1. The Abstract Plus Doctor Query System (DQS) allows you to search your local doctor database. The DQS can be accessed whether or not an abstract is opened, or whether or not you have a physician field selected in the data entry grid. To open the DQS and search for a doctor, click on the Utilities menu, and select Doctor Query System, or use the keystroke Alt+Q.
2. Abstract Plus version 3.1 allows you to delete abstracts from the abstract database. This feature should be used with caution, as abstracts are permanently deleted from the database. To delete an abstract, click on the **Utilities** menu, and select Delete Abstract(s), or use the keystroke Alt+P.
3. The integrated Notepad feature gives you the ability to view the contents of a file without leaving Abstract Plus.

Chapter 5: Reports

These are the answers to the questions (page 123) about reports:

1. The name of the window where you view Abstract Plus reports is called the Abstract Plus Report Viewer window.
2. To print a report, you must first open the report in the Report Viewer window. Click on the Reports menu item, and select the sub-option for the report of choice or use the appropriate keystroke designated on the Reports menu to open the report in the Report Viewer window. To print the report, click the Print icon on the Main Toolbar.
3. To save a report, click on the Save icon on the Report Viewer Main Toolbar, and select the desired file format in which you would like to save the report information.

Appendix B: Standard Keyboard Shortcuts

Function	Keyboard Combination
Menus	
File Menu	Alt+ F
Administration Menu	Alt+ M
Utilities Menu	Alt+ U
Reports Menu	Alt+ R
Options Menu	Alt+ O
Help Menu	Alt+ H
Right-Click Menu:	
Search Help / Field Context	F1
Edits Information for current field	F2
Field Message	F3
Special Field Lookup	F4
CS or Age calculations	F5
Run EDITS on current Abstract	F8
Undo text change	Ctrl+ Z
Cut selected text	Ctrl+ X
Copy selected text	Ctrl+ C
Paste text from clipboard	Ctrl+ V
Delete selected text	Alt+ D
Select All text in entry field	Alt+ A
Move to first Text Field	Ctrl+ T
Section Headings	Alt+ S
Display Types	Alt+ T
General	
Open a pull-down data item listing	Alt+ Down Arrow
Move to next field	Enter or Tab
Move to previous field	Shift+Enter or Shift+Tab

Appendix C: Flowchart for Hematopoietics

